Entity Name	Entity Definition	Entity Attribute Name	Entity Attribute Definition	Entity Attribute Is PK	Entity Attribute Is FK	Entity Attribute Column Datatype	Entity Attribute Column Null Option
all_jobs							
all_objects							
all_sequences							
all_source							
all_triggers							
all_views							
ATS_MIAMI		LAST_NAME		No	No	VARCHAR2(50)	NULL
ATS_MIAMI		FIRST_NAME		No	No	VARCHAR2(50)	NULL
ATS_MIAMI		MIDDLE_NAME		No	No	VARCHAR2(50)	NULL
ATS_MIAMI		DOB		No	No	DATE	NULL
ATS_MIAMI		A_NUMBER		No	No	VARCHAR2(13)	NULL
ATS_MIAMI		SHEET_NUMBER		No	No	NUMBER	NULL
ATS_MIAMI		ERROR		No	No	NUMBER	NULL
ATS_MIAMI		BATCH		No	No	VARCHAR2(50)	NULL
ATS_MIAMI		BATCH_DATE		No	No	DATE	NULL
ATS_MIAMI		RESPONSE		No	No	VARCHAR2(50)	NULL
ATS_MIAMI		RESPONSE_DATE		No	No	DATE	NULL
ATS_MIAMI		EVENT_DATE		No	No	DATE	NULL
ATS_MIAMI		SYS_ID		No	No	VARCHAR2(20)	NULL
ATS_MIAMI		EVENT_SITE		No	No	VARCHAR2(6)	NULL
ATS_MIAMI		EVENT_TIME		No	No	DATE	NULL
ATS_MIAMI		EVENT_LOC		No	No	VARCHAR2(3)	NULL
C4_AOS_LOAD		REC_ID		Yes	No	NUMBER	NOT NULL
C4_AOS_LOAD		ACTION		No	No	VARCHAR2(1)	NULL
C4_AOS_LOAD		FORMNO		No	No	VARCHAR2(6)	NULL
C4_AOS_LOAD		FPS_NO		No	No	VARCHAR2(13)	NULL
C4_AOS_LOAD		SYS_ID		No	No	VARCHAR2(2)	NULL
C4_AOS_LOAD		RCPT_NO		No	No	VARCHAR2(30)	NULL
C4_AOS_LOAD		RCVD_DT		No	No	VARCHAR2(6)	NULL
C4_AOS_LOAD		A_NUM		No	No	VARCHAR2(10)	NULL
C4_AOS_LOAD		L_NAME		No	No	VARCHAR2(30)	NULL
C4_AOS_LOAD		F_NAME		No	No	VARCHAR2(18)	NULL
C4_AOS_LOAD		M_NAME		No	No	VARCHAR2(18)	NULL
C4_AOS_LOAD		CARE_OF		No	No	VARCHAR2(34)	NULL
C4_AOS_LOAD		STR_NO		No	No	VARCHAR2(10)	NULL
C4_AOS_LOAD		ADDR2		No	No	VARCHAR2(34)	NULL
C4_AOS_LOAD		ADDR3		No	No	VARCHAR2(34)	NULL
C4_AOS_LOAD		CITY		No	No	VARCHAR2(28)	NULL
C4_AOS_LOAD		STATE		No	No	VARCHAR2(2)	NULL
C4_AOS_LOAD		ZIP		No	No	VARCHAR2(5)	NULL
C4_AOS_LOAD		FILL1		No	No	VARCHAR2(25)	NULL
C4_AOS_LOAD		A_FIRM		No	No	VARCHAR2(34)	NULL
C4_AOS_LOAD		A_LNAME		No	No	VARCHAR2(30)	NULL
C4_AOS_LOAD		A_FNAME		No	No	VARCHAR2(18)	NULL
C4_AOS_LOAD		A_MNAME		No	No	VARCHAR2(18)	NULL
C4_AOS_LOAD		A_STRNO		No	No	VARCHAR2(10)	NULL
C4_AOS_LOAD		A_ADDR1		No	No	VARCHAR2(34)	NULL
C4_AOS_LOAD		A_ADDR2		No	No	VARCHAR2(34)	NULL
C4_AOS_LOAD		A_CITY		No	No	VARCHAR2(28)	NULL
C4_AOS_LOAD		A_STATE		No	No	VARCHAR2(2)	NULL
C4_AOS_LOAD		A_ZIP		No	No	VARCHAR2(5)	NULL
C4_AOS_LOAD		AOS_GROUP		No	No	VARCHAR2(9)	NULL
C4_AOS_LOAD		FP_RESP		No	No	VARCHAR2(1)	NULL
C4_AOS_LOAD		FBI_DT		No	No	VARCHAR2(8)	NULL
C4_AOS_LOAD		SVC_ORI		No	No	VARCHAR2(9)	NULL
C4_AOS_LOAD		LOC_ORI		No	No	VARCHAR2(9)	NULL
C4_AOS_LOAD		ORGSITE		No	No	VARCHAR2(3)	NULL
C4_AOS_LOAD		ASYLUM		No	No	VARCHAR2(3)	NULL
C4_AOS_LOAD		DOB		No	No	VARCHAR2(8)	NULL
C4_AOS_LOAD		FILL2		No	No	VARCHAR2(44)	NULL
C4_AOS_LOAD		DATA_ERROR		No	No	VARCHAR2(50)	NULL
C4_AOS_LOAD		SYSTEM_ERROR		No	No	VARCHAR2(255)	NULL
C4_AOS_LOAD		DATE_ERROR		No	No	DATE	NULL

C4_APP_OLDPWD		OLD_PWD_ID		Yes	No	NUMBER	NOT NULL
C4_APP_OLDPWD		USER_SEQ_ID		No	Yes	NUMBER	NOT NULL
C4_APP_OLDPWD		CREATED_DATE		No	No	DATE	NOT NULL
C4_APP_OLDPWD		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_APP_OLDPWD		LAST_UPDATED_DATE		No	No	DATE	NOT NULL
C4_APP_OLDPWD		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_APP_OLDPWD		OLD_PWD		No	No	VARCHAR2(100)	NULL
C4_APP_OLDPWD		OLD_PWD_DATE		No	No	DATE	NULL
C4_APP_USERS		USER_SEQ_ID		Yes	No	NUMBER	NOT NULL
C4_APP_USERS		USER_NAME	the user-identification code	No	Yes	VARCHAR2(30)	NOT NULL
C4_APP_USERS		CUR_PWD		No	No	VARCHAR2(100)	NOT NULL
C4_APP_USERS		CREATED_DATE		No	No	DATE	NOT NULL
C4_APP_USERS		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_APP_USERS		LAST_UPDATED_DATE		No	No	DATE	NOT NULL
C4_APP_USERS		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_APP_USERS		CUR_PWD_EXP_DATE		No	No	DATE	NULL
C4_APP_USERS		LOCK_DATE		No	No	DATE	NULL
C4_APP_USERS		LOGIN_TIME		No	No	DATE	NULL
C4_APP_USERS		LOGOUT_TIME		No	No	DATE	NULL
C4_APP_USERS		EXPIRATION_DATE		No	No	DATE	NULL
C4_APP_USERS		INVALID_LOGON_ATTEMPT		No	No	NUMBER	NULL
C4_APP_USERS		LOGIN_COUNT		No	No	NUMBER	NULL
C4_ARCHIVE_WF_REC		ACT_INST_ID	the identification for the activity instance, created by sequence number generator	No	No	NUMBER(10)	NULL
C4_ARCHIVE_WF_REC		STATE_DTIME	the date and time when the activity state is changed	No	No	DATE	NULL
C4_ARCHIVE_WF_REC		ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	No	No	VARCHAR2(20)	NULL
C4_ARCHIVE_WF_REC		ACT_STATE	the condition defining the status of the activity at a particular point in time (e.g. Inactive, Active, Suspended, Completed, Canceled, Error)	No	No	VARCHAR2(10)	NULL
C4_ARCHIVE_WF_REC		PROCESS_INST_ID	the identification for the specific process (e.g. APP_ID (application ID) if process code is "APP" or "N400", PAYMENT_ID if process code is "PAY"	No	No	VARCHAR2(13)	NULL
C4_ARCHIVE_WF_REC		PARTICIPANT	the user (user-identification code) who is currently working on this activity	No	No	VARCHAR2(8)	NULL
C4_ARCHIVE_WF_REC		LOC_CODE	the code that denotes the location of the INS office	No	No	VARCHAR2(3)	NULL
C4_ARCHIVE_WF_REC		LOC_SUB_CODE	the code that denotes the sub-location of the INS office	No	No	VARCHAR2(3)	NULL
C4_FORM_FEES		FMTE_FORM_NUMBER		Yes	Yes	VARCHAR2(6)	NOT NULL
C4_FORM_FEES		EFFECTIVE_DATE		Yes	No	DATE	NOT NULL
C4_FORM_FEES		FEE_AMOUNT		No	No	NUMBER(12,2)	NOT NULL
C4_FORM_FEES		EXPIRATION_DATE		No	No	DATE	NULL
C4_FORM_FEES		CREATED_DATE		No	No	DATE	NOT NULL
C4_FORM_FEES		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_FORM_FEES		LAST_UPDATED_DATE		No	No	DATE	NULL
C4_FORM_FEES		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NULL
C4_FORM_TYPES		FORM_NUMBER		Yes	No	VARCHAR2(6)	NOT NULL
C4_FORM_TYPES		FORM_DESCRIPTION		No	No	VARCHAR2(200)	NULL
C4_FORM_TYPES		EFFECTIVE_DATE		No	No	DATE	NOT NULL
C4_FORM_TYPES		EXPIRATION_DATE		No	No	DATE	NULL
C4_FORM_TYPES		CREATED_DATE		No	No	DATE	NOT NULL
C4_FORM_TYPES		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_FORM_TYPES		LAST_UPDATED_DATE		No	No	DATE	NULL
C4_FORM_TYPES		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NULL
C4_LK_CODE		CODE_ID		Yes	No	NUMBER(5)	NOT NULL
C4_LK_CODE		DOMAIN_ID		No	Yes	NUMBER(5)	NULL
C4_LK_CODE		CODE		No	No	VARCHAR2(15)	NULL
C4_LK_CODE		CODE_DESC		No	No	VARCHAR2(35)	NULL
C4_LK_DOMAIN		DOMAIN_ID		Yes	No	NUMBER(5)	NOT NULL
C4_LK_DOMAIN		DOMAIN_CODE		No	No	VARCHAR2(15)	NULL

C4_LK_DOMAIN		DOMAIN_DESC		No	No	VARCHAR2(35)	NULL
C4_LK_FORM		FORM_NBR		Yes	No	VARCHAR2(6)	NOT NULL
C4_LK_FORM		FORM_VERSION		Yes	No	VARCHAR2(20)	NOT NULL
C4_LK_FORM		FORM_TITLE		No	No	VARCHAR2(200)	NULL
C4_LK_FORM		FORM_FLAG_WORD		No	No	NUMBER(10)	NULL
C4_LK_FORM		FEE_AMT		No	No	NUMBER(12,2)	NULL
C4_LK_FORM		FAMILY_CAP_AMT		No	No	NUMBER(12,2)	NULL
C4_LK_FORM		FEE_AMT_EFF_DT		No	No	DATE	NULL
C4_LK_FORM		GRACE_PERIOD_DT		No	No	DATE	NULL
C4_LK_FORM		OLD_FEE_AMT		No	No	NUMBER(12,2)	NULL
C4_LK_FORM		G22_LINE_NBR		No	No	VARCHAR2(4)	NULL
C4_LK_FORM		SPECIAL_DIST_CODE		No	No	VARCHAR2(3)	NULL
C4_LK_FORM		APPROPRIATION_NBR		No	No	VARCHAR2(2)	NULL
C4_LK_FORM		DEFAULT_CLASS		No	No	VARCHAR2(3)	NULL
C4_LK_FORM		PRODUCTION_LINE_NBR		No	No	VARCHAR2(7)	NULL
C4_LK_MILITARY_BRANCH		BRANCH_CODE		Yes	No	VARCHAR2(10)	NOT NULL
C4_LK_MILITARY_BRANCH		BRANCH_NAME		No	No	VARCHAR2(35)	NOT NULL
C4_LK_MSG_TEXT		MSG_TEXT_ID		Yes	No	NUMBER(8)	NOT NULL
C4_LK_MSG_TEXT		MSG_SHORT_NAME		No	No	VARCHAR2(8)	NULL
C4_LK_MSG_TEXT		MSG_TEXT		No	No	VARCHAR2(255)	NULL
C4_LK_NFTS_CONFIGURATION	Contains the configuration of the service center for NFTS function calls	SC_LOC_CODE	The code that denotes the location of the service center	Yes	No	VARCHAR2(3)	NOT NULL
C4_LK_NFTS_CONFIGURATION	Contains the configuration of the service center for NFTS function calls	NFTSOFFICEID		No	No	VARCHAR2(3)	NOT NULL
C4_LK_NFTS_CONFIGURATION	Contains the configuration of the service center for NFTS function calls	NFTSUSERID		No	No	VARCHAR2(15)	NOT NULL
C4_LK_NFTS_CONFIGURATION	Contains the configuration of the service center for NFTS function calls	C4SECTION		No	No	VARCHAR2(2)	NOT NULL
C4_LK_NFTS_CONFIGURATION	Contains the configuration of the service center for NFTS function calls	C4RESPPARTY		No	No	VARCHAR2(3)	NOT NULL
C4_LK_NFTS_CONFIGURATION	Contains the configuration of the service center for NFTS function calls	NFTS_RULE_NAME		No	No	VARCHAR2(50)	NULL
C4_LK_NOT_TEMPLATE_FORM		FORM_NBR		Yes	No	VARCHAR2(6)	NOT NULL
C4_LK_NOT_TEMPLATE_FORM		FORM_VERSION		Yes	No	VARCHAR2(20)	NOT NULL
C4_LK_NOT_TEMPLATE_FORM		TEMPLATE_FILENAME		Yes	Yes	VARCHAR2(20)	NOT NULL
C4_LK_NOT_TEMPLATE_FORM		NOTICE_CODE		Yes	Yes	VARCHAR2(5)	NOT NULL
C4_LK_NOT_TEMPLATE_FORM		NOTICE_TYPE_CODE		Yes	Yes	VARCHAR2(3)	NOT NULL
C4_LK_NOTICE_TYPE		NOTICE_TYPE_CODE		Yes	No	VARCHAR2(3)	NOT NULL
C4_LK_NOTICE_TYPE		NOTICE_TYPE_DESC		No	No	VARCHAR2(50)	NULL
C4_LK_NOTICE_TYPE		NOTICE_PAPER_TYPE		No	No	VARCHAR2(6)	NULL
C4_LK_NOTICE_TYPE		NOT_SOONER_THAN		No	No	NUMBER(6)	NULL
C4_LK_NOTICE_TYPE		NOT_LATER_THAN		No	No	NUMBER(6)	NULL
C4_LK_NOTICE_TYPE		CODE_ID		No	Yes	NUMBER(5)	NULL
C4_LK_SEC_BUSINESS_RULE		RULE_ID		Yes	No	NUMBER(10)	NOT NULL
C4_LK_SEC_BUSINESS_RULE		RULE_SEQ_NO		No	No	NUMBER(10)	NOT NULL
C4_LK_SEC_BUSINESS_RULE		RULE_NAME		No	No	VARCHAR2(50)	NOT NULL
C4_LK_SEC_BUSINESS_RULE		START_DATE		No	No	DATE	NULL
C4_LK_SEC_BUSINESS_RULE		END_DATE		No	No	DATE	NULL
C4_LK_SEC_BUSINESS_RULE		CREATE_DATE		No	No	DATE	NULL
C4_LK_SEC_BUSINESS_RULE		MODIFY_DATE		No	No	DATE	NULL
C4_LK_SEC_BUSINESS_RULE		CREATED_BY		No	No	VARCHAR2(30)	NOT NULL
C4_LK_SEC_BUSINESS_RULE		MODIFIED_BY		No	No	VARCHAR2(30)	NULL

C4_LK_SEC_BUSINESS_RULE		RULE_DESCRIPTION		No	No	VARCHAR2(1000)	NULL
C4_LK_STD_NOTICE_TEMPLATE		TEMPLATE_FILENAME		Yes	No	VARCHAR2(20)	NOT NULL
C4_LK_STD_NOTICE_TEMPLATE		NOTICE_TYPE_CODE		Yes	Yes	VARCHAR2(3)	NOT NULL
C4_LK_STD_NOTICE_TEMPLATE		NOTICE_CODE		Yes	No	VARCHAR2(5)	NOT NULL
C4_LK_STD_NOTICE_TEMPLATE		TEMPLATE_START_DATE		No	No	DATE	NULL
C4_LK_STD_NOTICE_TEMPLATE		TEMPLATE_DESC		No	No	VARCHAR2(50)	NULL
C4_LK_STD_NOTICE_TEMPLATE		TEMPLATE_PATH_NAME		No	No	VARCHAR2(100)	NULL
C4_LK_STD_NOTICE_TEMPLATE		EXPIRE_DTIME		No	No	DATE	NULL
C4_LK_STD_NOTICE_TEMPLATE		EXPIRE_USERID		No	No	VARCHAR2(8)	NULL
C4_LK_STD_NOTICE_TEMPLATE		ACT_CODE		No	No	VARCHAR2(20)	NULL
C4_LK_STD_NOTICE_TEMPLATE		CODE_ID		No	Yes	NUMBER(5)	NULL
C4_LP_CONFIGURE		LOC_CODE		Yes	No	VARCHAR2(3)	NOT NULL
C4_LP_CONFIGURE		LOC_SUB_CODE		Yes	No	VARCHAR2(3)	NOT NULL
C4_LP_CONFIGURE		NOTICE_PAPER_TYPE		Yes	No	VARCHAR2(8)	NOT NULL
C4_LP_CONFIGURE		PRT_NAME		Yes	No	VARCHAR2(50)	NOT NULL
C4_LP_CONFIGURE		CODE_ID		No	Yes	NUMBER(5)	NULL
C4_MACHINE_SOFTWARE		MACHINE_ID		Yes	Yes	NUMBER(10)	NOT NULL
C4_MACHINE_SOFTWARE		SOFTWARE_TITLE		Yes	No	VARCHAR2(30)	NOT NULL
C4_MACHINE_SOFTWARE		SOFTWARE_VERSION		Yes	No	VARCHAR2(50)	NOT NULL
C4_MULTI_SESSION_USER		USER_ID	the user-identification code	Yes	Yes	VARCHAR2(32)	NOT NULL
C4_MULTI_SESSION_USER		CREATED_DATE		No	No	DATE	NOT NULL
C4_MULTI_SESSION_USER		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_MULTI_SESSION_USER		LAST_UPDATED_DATE		No	No	DATE	NOT NULL
C4_MULTI_SESSION_USER		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_MULTI_SESSION_USER		EXPIRATION_DATE		No	No	DATE	NULL
C4_NOT_CORRESPONDENCE		CORRES_SEQ_ID		Yes	No	NUMBER(10)	NOT NULL
C4_NOT_CORRESPONDENCE		SUB_CORRES_SEQ_ID		No	No	NUMBER(10)	NULL
C4_NOT_CORRESPONDENCE		APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	No	Yes	VARCHAR2(13)	NULL
C4_NOT_CORRESPONDENCE		ADDR_TYPE_IND		No	No	VARCHAR2(20)	NULL
C4_NOT_CORRESPONDENCE		SEQ_NBR		No	No	NUMBER(5)	NULL
C4_NOT_CORRESPONDENCE		TEMPLATE_FILENAME		No	No	VARCHAR2(20)	NULL
C4_NOT_CORRESPONDENCE		NOTICE_CODE		No	No	VARCHAR2(5)	NULL
C4_NOT_CORRESPONDENCE		EMPLOYER_ID		No	No	NUMBER(5)	NULL
C4_NOT_CORRESPONDENCE		NOTICE_TYPE_CODE		No	No	VARCHAR2(3)	NULL
C4_NOT_CORRESPONDENCE		JOB_ID		No	Yes	NUMBER(10)	NULL
C4_NOT_CORRESPONDENCE		REP_ID	the system generated identification number that is assigned to the representative	No	Yes	NUMBER(10)	NULL
C4_NOT_CORRESPONDENCE		PRINT_STATUS_CODE		No	No	NUMBER(5)	NULL
C4_NOT_CORRESPONDENCE		ACT_INST_ID		No	No	NUMBER(10)	NULL
C4_NOT_CORRESPONDENCE		SCHED_SEND_DATE		No	No	DATE	NULL

C4_NOT_CORRESPONDENCE		ACTUAL_SEND_DATE		No	No	DATE	NULL
C4_NOT_CORRESPONDENCE		PRINT_STATUS_DATE		No	No	DATE	NULL
C4_NOT_CORRESPONDENCE		RECIPIENT_CODE		No	No	VARCHAR2(20)	NULL
C4_NOT_CORRESPONDENCE		CODE_ID		No	Yes	NUMBER(5)	NULL
C4_NOT_EXTRACT		CORRES_SEQ_ID		Yes	Yes	NUMBER(10)	NOT NULL
C4_NOT_EXTRACT		SC_LOC_CODE		No	No	VARCHAR2(3)	NULL
C4_NOT_EXTRACT		WF_APP_ID		No	No	VARCHAR2(13)	NULL
C4_NOT_EXTRACT		WF_ACT_CODE		No	No	VARCHAR2(20)	NULL
C4_NOT_EXTRACT		WF_PROCESS_CODE		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		WF_ACCEPT_DATE_FP		No	No	DATE	NULL
C4_NOT_EXTRACT		FRM_FORM_TITLE		No	No	VARCHAR2(200)	NULL
C4_NOT_EXTRACT		APP_ALIEN_NBR		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		AP_MR_RECV_DTIME		No	No	DATE	NULL
C4_NOT_EXTRACT		AP_FORM_NBR		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		AP_EXT_ORIG_SYS_KEY		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		LOC_STREET_INS		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_BLDG_RM_INS		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_CITY_INS		No	No	VARCHAR2(28)	NULL
C4_NOT_EXTRACT		LOC_STATE_INS		No	No	VARCHAR2(2)	NULL
C4_NOT_EXTRACT		LOC_ZIP_CODE_INS		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		LOC_PHONE_NBR		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		APP_FIRST_NAME		No	No	VARCHAR2(18)	NULL
C4_NOT_EXTRACT		APP_MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
C4_NOT_EXTRACT		APP_LAST_NAME		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		APP_SUFFIX_CODE		No	No	VARCHAR2(3)	NULL
C4_NOT_EXTRACT		APP_SSN		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		ADDR_INCAREOF_MAIL		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		ADDR_STREET_NBR_MAIL		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		ADDR_STREET_NAME_MAIL		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		ADDR_BLDG_RM_MAIL		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		ADDR_CITY_MAIL		No	No	VARCHAR2(28)	NULL
C4_NOT_EXTRACT		ADDR_STATE_CODE_MAIL		No	No	VARCHAR2(2)	NULL
C4_NOT_EXTRACT		ADDR_ZIP_CODE_MAIL		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		LK_NOTICE_PAPER_TYPE		No	No	VARCHAR2(6)	NULL
C4_NOT_EXTRACT		LK_NOTICE_CODE		No	No	VARCHAR2(5)	NULL
C4_NOT_EXTRACT		LK_NOTICE_TYPE_CODE		No	No	VARCHAR2(3)	NULL
C4_NOT_EXTRACT		LK_TEMPLATE_PATH_NAME		No	No	VARCHAR2(100)	NULL
C4_NOT_EXTRACT		AP_REP_ID		No	No	NUMBER(10)	NULL
C4_NOT_EXTRACT		REP_FIRM_NAME		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		REP_FIRST_NAME		No	No	VARCHAR2(18)	NULL
C4_NOT_EXTRACT		REP_MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
C4_NOT_EXTRACT		REP_LAST_NAME		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		REP_STREET_NBR		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		REP_STREET_NAME		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		REP_BLDG_RM		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		REP_CITY		No	No	VARCHAR2(28)	NULL
C4_NOT_EXTRACT		REP_STATE_CODE		No	No	VARCHAR2(2)	NULL
C4_NOT_EXTRACT		REP_ZIP_CODE		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		APP_DOB_DT		No	No	DATE	NULL
C4_NOT_EXTRACT		ADDR_STREET_NBR_RES		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		ADDR_STREET_NAME_RES		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		ADDR_BLDG_RM_RES		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		ADDR_CITY_RES		No	No	VARCHAR2(28)	NULL
C4_NOT_EXTRACT		ADDR_STATE_CODE_RES		No	No	VARCHAR2(2)	NULL
C4_NOT_EXTRACT		ADDR_ZIP_CODE_RES		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		LOC_RECV_INT_NOT_DAYS_QTY		No	No	NUMBER(5)	NULL
C4_NOT_EXTRACT		AP_FEE_CHARGED		No	No	NUMBER(10)	NULL
C4_NOT_EXTRACT		PAY_PAYMENT_AMT		No	No	NUMBER(12,2)	NULL
C4_NOT_EXTRACT		NUM_APP_ID_PER_PAYID		No	No	NUMBER(5)	NULL
C4_NOT_EXTRACT		DISCR_DISCREP_AMT		No	No	NUMBER(12,2)	NULL
C4_NOT_EXTRACT		SECT_APPT_INTV_DT		No	No	DATE	NULL

C4_NOT_EXTRACT		SECT_APPT_INTV_START_TIME		No	No	VARCHAR2(10)	NULL
C4_NOT_EXTRACT		LOC_DESC_INT		No	No	VARCHAR2(50)	NULL
C4_NOT_EXTRACT		LOC_STREET_INT		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_BLDG_RM_INT		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_CITY_INT		No	No	VARCHAR2(28)	NULL
C4_NOT_EXTRACT		LOC_STATE_CODE_INT		No	No	VARCHAR2(2)	NULL
C4_NOT_EXTRACT		LOC_ZIP_CODE_INT		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		LOC_CODE_INT		No	No	VARCHAR2(3)	NULL
C4_NOT_EXTRACT		LOC_SUB_CODE_INT		No	No	VARCHAR2(3)	NULL
C4_NOT_EXTRACT		WF_STATE_DTIME		No	No	DATE	NULL
C4_NOT_EXTRACT		NUM_AFILE_RETRV		No	No	NUMBER(10)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT1		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT2		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT3		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT4		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT5		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT6		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT7		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		ASC_HOURS_TEXT8		No	No	VARCHAR2(40)	NULL
C4_NOT_EXTRACT		LOC_DESC_ASC		No	No	VARCHAR2(50)	NULL
C4_NOT_EXTRACT		LOC_STREET_ASC		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_BLDG_RM_ASC		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_CITY_ASC		No	No	VARCHAR2(28)	NULL
C4_NOT_EXTRACT		LOC_STATE_ASC		No	No	VARCHAR2(2)	NULL
C4_NOT_EXTRACT		LOC_ZIP_CODE_ASC		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		SC_RM_DESC		No	No	VARCHAR2(50)	NULL
C4_NOT_EXTRACT		NUM_BAD_CHECKS		No	No	NUMBER(5)	NULL
C4_NOT_EXTRACT		SC_RPTG_GATE_DESC		No	No	VARCHAR2(50)	NULL
C4_NOT_EXTRACT		ADDR_PROVINCE_MAIL		No	No	VARCHAR2(20)	NULL
C4_NOT_EXTRACT		ADDR_POSTAL_CODE_MAIL		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		ADDR_CNTRY_NAME_MAIL		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		REP_PROVINCE		No	No	VARCHAR2(20)	NULL
C4_NOT_EXTRACT		REP_POSTAL_CODE		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		REP_CNTRY_NAME		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		REL_PROCESS_INST_ID		No	No	VARCHAR2(13)	NULL
C4_NOT_EXTRACT		GRP_ID		No	No	VARCHAR2(13)	NULL
C4_NOT_EXTRACT		ADDR_PROVINCE_RES		No	No	VARCHAR2(20)	NULL
C4_NOT_EXTRACT		ADDR_POSTAL_CODE_RES		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		ADDR_CNTRY_NAME_RES		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		OFFICER_LAST_NAME		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT		OFFICER_FIRST_NAME		No	No	VARCHAR2(18)	NULL
C4_NOT_EXTRACT		OFFICER_MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
C4_NOT_EXTRACT		OFFICER_SUFFIX_NAME		No	No	VARCHAR2(3)	NULL
C4_NOT_EXTRACT		OFFICER_TITLE		No	No	VARCHAR2(34)	NULL
C4_NOT_EXTRACT		LOC_PROVINCE_INS		No	No	VARCHAR2(20)	NULL
C4_NOT_EXTRACT		LOC_POSTAL_CODE_INS		No	No	VARCHAR2(9)	NULL
C4_NOT_EXTRACT		LOC_CNTRY_NAME_INS		No	No	VARCHAR2(30)	NULL
C4_NOT_EXTRACT_REASON		CORRES_SEQ_ID		Yes	No	NUMBER(10)	NOT NULL
C4_NOT_EXTRACT_REASON		LK_REASON_TYPE_IND		Yes	No	VARCHAR2(3)	NOT NULL
C4_NOT_EXTRACT_REASON		LK_REASON_CODE		Yes	No	NUMBER(10)	NOT NULL
C4_NOT_EXTRACT_REASON		REASON_NOTICE_TEXT		No	No	VARCHAR2(2000)	NULL
C4_NOT_REQUEST		JOB_ID		Yes	No	NUMBER(10)	NOT NULL
C4_NOT_REQUEST		SUB_JOB_ID		No	No	NUMBER(10)	NULL
C4_NOT_REQUEST		LOC_CODE		No	No	VARCHAR2(3)	NULL
C4_NOT_REQUEST		LOC_SUB_CODE		No	No	VARCHAR2(3)	NULL
C4_NOT_REQUEST		NOTICE_TYPE_CODE		No	Yes	VARCHAR2(3)	NULL
C4_NOT_REQUEST		PRINT_STATUS_CODE		No	No	NUMBER(5)	NULL
C4_NOT_REQUEST		PRINT_TYPE_CODE		No	No	NUMBER(5)	NULL
C4_NOT_REQUEST		JOB_SUBMISSION_DTIME		No	No	DATE	NULL
C4_NOT_REQUEST		PRT_NAME		No	No	VARCHAR2(50)	NULL
C4_NOT_REQUEST		NOTICE_TOTAL_COUNT		No	No	NUMBER(5)	NULL

C4_NOT_REQUEST		NOTICE_ERROR_COUNT		No	No	NUMBER(5)	NULL
C4_NOT_REQUEST		NOTICE_PRINTED_COUNT		No	No	NUMBER(5)	NULL
C4_NOT_REQUEST		CODE_ID		No	Yes	NUMBER(5)	NULL
C4_PICS_ACTIVITY_LOG		ACT_SEQ_ID		Yes	No	NUMBER	NOT NULL
C4_PICS_ACTIVITY_LOG		ACTIVITY		No	No	VARCHAR2(100)	NOT NULL
C4_PICS_ACTIVITY_LOG		CREATED_DATE		No	No	DATE	NOT NULL
C4_PICS_ACTIVITY_LOG		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_PICS_ACTIVITY_LOG		LAST_UPDATED_DATE		No	No	DATE	NOT NULL
C4_PICS_ACTIVITY_LOG		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_PICS_ACTIVITY_LOG		STATUS		No	No	VARCHAR2(10)	NULL
C4_PICS_ACTIVITY_LOG		MSG		No	No	VARCHAR2(255)	NULL
C4_SECURITY_PARAMETER		SEC_NAME		Yes	No	VARCHAR2(30)	NOT NULL
C4_SECURITY_PARAMETER		SEC_VALUE		No	No	VARCHAR2(30)	NOT NULL
C4_SECURITY_PARAMETER		CREATED_DATE		No	No	DATE	NOT NULL
C4_SECURITY_PARAMETER		CREATOR_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_SECURITY_PARAMETER		LAST_UPDATED_DATE		No	No	DATE	NOT NULL
C4_SECURITY_PARAMETER		LAST_UPDATER_USER_NAME		No	No	VARCHAR2(30)	NOT NULL
C4_SECURITY_PARAMETER		DESCRIPTION		No	No	VARCHAR2(100)	NULL
CHAINED_ROWS		OWNER_NAME		No	No	VARCHAR2(30)	NULL
CHAINED_ROWS		TABLE_NAME		No	No	VARCHAR2(30)	NULL
CHAINED_ROWS		CLUSTER_NAME		No	No	VARCHAR2(30)	NULL
CHAINED_ROWS		HEAD_ROWID		No	No	ROWID	NULL
CHAINED_ROWS		TIMESTAMP		No	No	DATE	NULL
COND_TEMP		ACT_INST_ID		No	No	NUMBER(10)	NULL
COND_TEMP		END_COND_CODE		No	No	VARCHAR2(16)	NULL
EXCEPTIONS		ROW_ID		No	No	ROWID	NULL
EXCEPTIONS		OWNER		No	No	VARCHAR2(30)	NULL
EXCEPTIONS		TABLE_NAME		No	No	VARCHAR2(30)	NULL
EXCEPTIONS		CONSTRAINT		No	No	VARCHAR2(30)	NULL
FD258EE_AP_ALIAS		PROCESS_CID		No	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_ALIAS		ALIAS_NAME_ORDER		No	No	NUMBER(5)	NOT NULL
FD258EE_AP_ALIAS		ALIAS_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_BATCH		BATCH_ID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_BATCH		USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_BATCH		SENT_DT		No	No	DATE	NULL
FD258EE_AP_BATCH		RESENT_DT		No	No	DATE	NULL
FD258EE_AP_BATCH		CREATE_DT		No	No	DATE	NULL
FD258EE_AP_BATCH		ORI		No	No	VARCHAR2(9)	NULL
FD258EE_AP_BATCH		LOC_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_BATCH		DELETED_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_BATCH		TAPE_USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_BUNDLE		BUNDLE_ID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_BUNDLE		BATCH_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_BUNDLE		USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_BUNDLE		CREATE_DT		No	No	DATE	NULL
FD258EE_AP_BUNDLE		LOC_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_BUNDLE		ASC_MANIFEST_ID		No	No	VARCHAR2(20)	NULL
FD258EE_AP_BUNDLE		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_BUNDLE		DELETED_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_C4		RECORD_ID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_C4		RECORD_TYP		Yes	No	VARCHAR2(1)	NOT NULL
FD258EE_AP_C4		APP_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_C4		ANUMBER		No	No	VARCHAR2(10)	NULL
FD258EE_AP_C4		CIDN_OTHER		No	No	VARCHAR2(22)	NULL
FD258EE_AP_C4		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_C4		LAST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_C4		FIRST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_C4		PROCESS_DT		No	No	DATE	NULL
FD258EE_AP_C4		FBI_RESULT		No	No	VARCHAR2(1)	NULL
FD258EE_AP_C4		SC_RCVD_DTIME		No	No	DATE	NULL
FD258EE_AP_C4		FBI_SENT_DT		No	No	DATE	NULL
FD258EE_AP_C4		FBI_RESULT_DT		No	No	DATE	NULL
FD258EE_AP_C4		DOB_DT_1		No	No	DATE	NULL
FD258EE_AP_C4		IAFIS_TCN		No	No	VARCHAR2(40)	NULL

FD258EE_AP_C4		IAFIS_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_CIDN_XFER		PROCESS_CID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_CIDN_XFER		CIDN_OLD		No	No	VARCHAR2(10)	NULL
FD258EE_AP_EXT_CARD		CIDN_OTHER		Yes	No	VARCHAR2(22)	NOT NULL
FD258EE_AP_EXT_CARD		PROCESS_CID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_EXT_CARD		ASC_MANIFEST_ID		No	No	VARCHAR2(20)	NULL
FD258EE_AP_EXT_CARD		CARD_MATCH_STATUS		No	No	VARCHAR2(1)	NULL
FD258EE_AP_EXT_CARD		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_FD258		PROCESS_CID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_FD258		BUNDLE_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_FD258		CIDN_OTHER		No	No	VARCHAR2(22)	NULL
FD258EE_AP_FD258		USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_FD258		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_FD258		EXT_SYS_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_FD258		ALIEN_NBR		No	No	VARCHAR2(10)	NULL
FD258EE_AP_FD258		LAST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_FD258		FIRST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_FD258		MIDDLE_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_FD258		POB_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_FD258		GENDER_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		RACE_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		HEIGHT		No	No	VARCHAR2(3)	NULL
FD258EE_AP_FD258		WEIGHT		No	No	NUMBER(5)	NULL
FD258EE_AP_FD258		EYE_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_FD258		HAIR_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_FD258		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		OCA_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_FD258		MIL_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_FD258		CITZ_NBR		No	No	VARCHAR2(12)	NULL
FD258EE_AP_FD258		MNU_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_FD258		REGIONAL_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		LOCAL_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		PROC_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		FD258_SIGNED_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		FP_TAKER_SIGNED_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		REASON_FP_FORM		No	No	VARCHAR2(6)	NULL
FD258EE_AP_FD258		FP_TAKEN_DT		No	No	DATE	NULL
FD258EE_AP_FD258		DOB_DT_1		No	No	DATE	NULL
FD258EE_AP_FD258		DOB_DT_2		No	No	DATE	NULL
FD258EE_AP_FD258		DOB_DT_3		No	No	DATE	NULL
FD258EE_AP_FD258		SSN_1		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		SSN_2		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		SSN_3		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		BLDG_RM		No	No	VARCHAR2(34)	NULL
FD258EE_AP_FD258		STREET		No	No	VARCHAR2(34)	NULL
FD258EE_AP_FD258		CITY		No	No	VARCHAR2(28)	NULL
FD258EE_AP_FD258		STATE_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_FD258		ZIP_CODE		No	No	VARCHAR2(9)	NULL
FD258EE_AP_FD258		IMMED_REJECT_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		CREATE_DT		No	No	DATE	NULL
FD258EE_AP_FD258		EXT_SYS_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		ASC_SITE_CODE		No	No	VARCHAR2(6)	NULL
FD258EE_AP_FD258		ASC_MACHINE_ID		No	No	VARCHAR2(2)	NULL
FD258EE_AP_FD258		ASC_USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_FD258		CREATOR_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_FD258		LAST_EDIT_DT		No	No	DATE	NULL
FD258EE_AP_FD258		LOC_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_FD258		SCHEDULING_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_FD258		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_FD258		Z_NUMBER		No	No	VARCHAR2(10)	NULL
FD258EE_AP_FD258		IAFIS_TCN		No	No	VARCHAR2(40)	NULL
FD258EE_AP_FD258		FBI_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_FD258		FP_REC_TYPE		No	No	VARCHAR2(6)	NULL
FD258EE_AP_FD258		SCHEDULER_DT		No	No	DATE	NULL
FD258EE_AP_FD258		RAP_WAIVED_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_FD258		FP_WAIVED_FLAG		No	No	VARCHAR2(1)	NULL

FD258EE_AP_FD258		FBI_SENT_DT		No	No	DATE	NULL
FD258EE_AP_FD258		ARCHIVE_FLAG		No	No	CHAR(1)	NULL
FD258EE_AP_FD258		CONTROL_NUM		No	No	CHAR(7)	NULL
FD258EE_AP_FINGER		PROCESS_CID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_FINGER		FINGER_INST		Yes	No	NUMBER(5)	NOT NULL
FD258EE_AP_FINGER		FINGER_IND		No	No	VARCHAR2(3)	NULL
FD258EE_AP_FINGER		FINGER_MISSING_DESC		No	No	VARCHAR2(80)	NULL
FD258EE_AP_IAFIS_EXTRACT		PROCESS_CID		Yes	No	VARCHAR2(22)	NOT NULL
FD258EE_AP_IAFIS_EXTRACT		RECV_DT		Yes	No	DATE	NOT NULL
FD258EE_AP_IAFIS_EXTRACT		RECORD_TYPE		Yes	No	VARCHAR2(1)	NOT NULL
FD258EE_AP_IAFIS_EXTRACT		CIDN_OTHER		No	No	VARCHAR2(22)	NULL
FD258EE_AP_IAFIS_EXTRACT		EXT_SYS_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_IAFIS_EXTRACT		LAST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_IAFIS_EXTRACT		FIRST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_IAFIS_EXTRACT		MIDDLE_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_IAFIS_EXTRACT		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_EXTRACT		FBI_SENT_DT		No	No	DATE	NULL
FD258EE_AP_IAFIS_EXTRACT		REGIONAL_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_EXTRACT		LOCAL_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_EXTRACT		MNU_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_EXTRACT		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_EXTRACT		REASON_FP_FORM		No	No	VARCHAR2(6)	NULL
FD258EE_AP_IAFIS_EXTRACT		POB_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_IAFIS_EXTRACT		DOB_DT_1		No	No	DATE	NULL
FD258EE_AP_IAFIS_EXTRACT		ASC_SITE_CODE		No	No	VARCHAR2(6)	NULL
FD258EE_AP_IAFIS_EXTRACT		ASC_USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_IAFIS_EXTRACT		HEIGHT		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_EXTRACT		WEIGHT		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_EXTRACT		EYE_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_EXTRACT		HAIR_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_EXTRACT		IAFIS_TCN		No	No	VARCHAR2(40)	NULL
FD258EE_AP_IAFIS_EXTRACT		FBI_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_IAFIS_EXTRACT		ALIAS_NAME_1		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_EXTRACT		ALIAS_NAME_2		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_EXTRACT		ALIAS_NAME_3		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_EXTRACT		ALIAS_NAME_4		No	No	VARCHAR2(30)	NULL

FD258EE_AP_IAFIS_EXTRACT		ALIAS_NAME_5		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_EXTRACT		EXTRACT_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_EXTRACT		PROCESS_DT		No	No	DATE	NULL
FD258EE_AP_IAFIS_EXTRACT		FBI_PROCESS_DT		No	No	DATE	NULL
FD258EE_AP_IAFIS_EXTRACT		SEARCH_RESULT		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_EXTRACT		SEARCH_REQ_TYPE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_EXTRACT		REJECT_DATA		No	No	VARCHAR2(130)	NULL
FD258EE_AP_IAFIS_EXTRACT		OCA		No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_EXTRACT		MISC_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_EXTRACT		EXT_SYS_ACK_WORD		No	No	NUMBER(5)	NULL
FD258EE_AP_IAFIS_REPLIES		REPLY_REC_ID	Unique Sequence Number for this record - Generated on Insert	Yes	No	NUMBER(10)	NOT NULL
FD258EE_AP_IAFIS_REPLIES		CREATE_DTIME	Current date/time when the record is inserted - Generated on Insert)	No	No	DATE	NULL
FD258EE_AP_IAFIS_REPLIES		CIDN	The unique id of requested FBI inquiry	No	No	VARCHAR2(10)	NULL
FD258EE_AP_IAFIS_REPLIES		IAFIS_TCN	EFIPS Transaction Control Number as sent to the FBI	No	No	VARCHAR2(40)	NULL
FD258EE_AP_IAFIS_REPLIES		FBI_NAME	the name of the applicant formatted for usage by the FBI	No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_REPLIES		SC_ORI_NBR	Service Center ORI Number	No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_REPLIES		FBI_TCR	FBI Transaction Control Response Number	No	No	VARCHAR2(40)	NULL
FD258EE_AP_IAFIS_REPLIES		RECV_DT	Response Received Date	No	No	DATE	NULL
FD258EE_AP_IAFIS_REPLIES		SEARCH_STATUS	FBI Status of the Corresponding Search Request	No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_REPLIES		SEARCH_REQ_TYPE	Type of Search Request	No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_REPLIES		REJECT_DATA	Response Message	No	No	VARCHAR2(130)	NULL
FD258EE_AP_IAFIS_REPLIES		FBI_NBR	the assigned number from fbi for a ident case	No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_REPLIES		MISC_NBR	The military service number, A-number or ... for fbi to search	No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_REPLIES		FBI_PROCESS_DT	Local date when the FBI Processed the Response	No	No	DATE	NULL
FD258EE_AP_IAFIS_REPLIES		OCA_NBR	local identifier number provided by requester(government agent)	No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_SENDS		SEND_REC_ID	Unique Sequence Number for this record - Generated on Insert	Yes	No	NUMBER(10)	NOT NULL
FD258EE_AP_IAFIS_SENDS		CREATE_DTIME	Date/Time when the record is inserted. (Automatic? Not Null)	No	No	DATE	NULL
FD258EE_AP_IAFIS_SENDS		ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
FD258EE_AP_IAFIS_SENDS		FP_TAKEN_DTIME		No	No	DATE	NULL
FD258EE_AP_IAFIS_SENDS		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_SENDS		EXT_SYS_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_IAFIS_SENDS		REASON_FP_FORM		No	No	VARCHAR2(6)	NULL
FD258EE_AP_IAFIS_SENDS		SCHEDULING_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_IAFIS_SENDS		SCHEDULER_DT		No	No	DATE	NULL
FD258EE_AP_IAFIS_SENDS		ASC_SITE_CODE		No	No	VARCHAR2(6)	NULL
FD258EE_AP_IAFIS_SENDS		ASC_MACHINE_ID		No	No	VARCHAR2(2)	NULL
FD258EE_AP_IAFIS_SENDS		ASC_USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_IAFIS_SENDS		LOCAL_ORI_NBR	the identifier of local INS office to be identified and billed by FBI	No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		SC_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		LAST_NAME	the last name of the person	No	No	VARCHAR2(50)	NULL

FD258EE_AP_IAFIS_SENDS		FIRST_NAME	the first name of the person	No	No	VARCHAR2(50)	NULL
FD258EE_AP_IAFIS_SENDS		MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(50)	NULL
FD258EE_AP_IAFIS_SENDS		SSN_1		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		SSN_2		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		SSN_3		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		Z_NUMBER		No	No	VARCHAR2(10)	NULL
FD258EE_AP_IAFIS_SENDS		IAFIS_TCN		No	No	VARCHAR2(40)	NULL
FD258EE_AP_IAFIS_SENDS		FP_REC_TYPE		No	No	VARCHAR2(6)	NULL
FD258EE_AP_IAFIS_SENDS		SEARCH_REQ_TYPE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_SENDS		RAP_REQ_TYPE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_SENDS		FBI_SENT_DT		No	No	DATE	NOT NULL
FD258EE_AP_IAFIS_SENDS		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_SENDS		FBI_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_IAFIS_SENDS		STREET_ADDR		No	No	VARCHAR2(34)	NULL
FD258EE_AP_IAFIS_SENDS		CITY		No	No	VARCHAR2(28)	NULL
FD258EE_AP_IAFIS_SENDS		STATE_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_IAFIS_SENDS		ZIP_CODE		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		AKA_1		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_SENDS		AKA_2		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_SENDS		AKA_3		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_SENDS		AKA_4		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_SENDS		AKA_5		No	No	VARCHAR2(30)	NULL
FD258EE_AP_IAFIS_SENDS		CITZ_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_IAFIS_SENDS		CITZ_NBR		No	No	VARCHAR2(12)	NULL
FD258EE_AP_IAFIS_SENDS		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_IAFIS_SENDS		MIL_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_SENDS		MNU_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_IAFIS_SENDS		DOB_DT_1		No	No	DATE	NULL
FD258EE_AP_IAFIS_SENDS		DOB_DT_2		No	No	DATE	NULL
FD258EE_AP_IAFIS_SENDS		DOB_DT_3		No	No	DATE	NULL
FD258EE_AP_IAFIS_SENDS		GENDER_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_SENDS		RACE_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_IAFIS_SENDS		HEIGHT		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_SENDS		WEIGHT		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_SENDS		EYE_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_SENDS		HAIR_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_IAFIS_SENDS		POB_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_REPLY_ERROR		PROCESS_CID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_REPLY_ERROR		RECV_DT		Yes	No	DATE	NOT NULL
FD258EE_AP_REPLY_ERROR		ORI		No	No	VARCHAR2(9)	NULL
FD258EE_AP_REPLY_ERROR		ERR_MSG_1		No	No	VARCHAR2(50)	NULL
FD258EE_AP_REPLY_ERROR		ERR_FIELD_1		No	No	VARCHAR2(7)	NULL
FD258EE_AP_REPLY_ERROR		ERR_MSG_2		No	No	VARCHAR2(50)	NULL
FD258EE_AP_REPLY_ERROR		ERR_FIELD_2		No	No	VARCHAR2(7)	NULL
FD258EE_AP_REPLY_ERROR		ERR_MSG_3		No	No	VARCHAR2(50)	NULL
FD258EE_AP_REPLY_ERROR		ERR_FIELD_3		No	No	VARCHAR2(7)	NULL
FD258EE_AP_REPLY_RESULT		PROCESS_CID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_REPLY_RESULT		RECV_DT		Yes	No	DATE	NOT NULL
FD258EE_AP_REPLY_RESULT		CIDN_OTHER		No	No	VARCHAR2(22)	NULL
FD258EE_AP_REPLY_RESULT		PROCESS_DT		No	No	DATE	NULL
FD258EE_AP_REPLY_RESULT		FBI_PROCESS_DT		No	No	DATE	NULL

FD258EE_AP_REPLY_RESULT		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_REPLY_RESULT		SEARCH_RESULT		No	No	VARCHAR2(1)	NULL
FD258EE_AP_REPLY_RESULT		SEARCH_REQ_TYPE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_REPLY_RESULT		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_REPLY_RESULT		ORI		No	No	VARCHAR2(9)	NULL
FD258EE_AP_REPLY_RESULT		REJECT_DATA		No	No	VARCHAR2(130)	NULL
FD258EE_AP_REPLY_RESULT		OCA		No	No	VARCHAR2(15)	NULL
FD258EE_AP_REPLY_RESULT		MISC_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_REPLY_RESULT		EXT_SYS_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_REPLY_RESULT		EXT_SYS_ACK_WORD		No	No	NUMBER(5)	NULL
FD258EE_AP_REPLY_RESULT		IAFIS_TCN		No	No	VARCHAR2(40)	NULL
FD258EE_AP_REPLY_RESULT		IAFIS_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_RESPONSE		PROCESS_CID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_RESPONSE		FBI_RECV_DT		No	No	DATE	NULL
FD258EE_AP_RESPONSE		CIDN_ANUM		No	No	VARCHAR2(10)	NULL
FD258EE_AP_RESPONSE		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_RESPONSE		PROCESS_DT		No	No	DATE	NULL
FD258EE_AP_RESPONSE		SEARCH_RESULT		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESPONSE		FBI_PROCESS_DT		No	No	DATE	NULL
FD258EE_AP_RESPONSE		REJECT_DATA		No	No	VARCHAR2(130)	NULL
FD258EE_AP_RESPONSE		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_RESPONSE		SEARCH_REQ_TYPE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESPONSE		SC_ORI		No	No	VARCHAR2(9)	NULL
FD258EE_AP_RESPONSE		OCA		No	No	VARCHAR2(15)	NULL
FD258EE_AP_RESPONSE		CIDN_DT_STAMP		No	No	VARCHAR2(12)	NULL
FD258EE_AP_RESPONSE		MISC_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_RESPONSE		MF_SENT_DT		No	No	DATE	NULL
FD258EE_AP_RESPONSE		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_RESPONSE		C3_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESPONSE		C4_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESPONSE		MF_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESPONSE		TAPE_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESPONSE		IAFIS_TCN		No	No	VARCHAR2(40)	NULL
FD258EE_AP_RESPONSE		IAFIS_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_RESPONSE		APPLICANT_DOB		No	No	DATE	NULL
FD258EE_AP_RESPONSE		FBI_SENT_DT		No	No	DATE	NULL
FD258EE_AP_RESULT_BATCH		CIDN		No	No	VARCHAR2(10)	NULL
FD258EE_AP_RESULT_BATCH		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_RESULT_BATCH		SEARCH_RESULT		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESULT_BATCH		SEARCH_REQ_TYPE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_RESULT_BATCH		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_RESULT_BATCH		ORI		No	No	VARCHAR2(9)	NULL
FD258EE_AP_RESULT_BATCH		REJECT_DATA		No	No	VARCHAR2(130)	NULL
FD258EE_AP_RESULT_BATCH		OCA		No	No	VARCHAR2(15)	NULL
FD258EE_AP_RESULT_BATCH		MISC_NBR		No	No	VARCHAR2(15)	NULL

FD258EE_AP_RESULT_BATCH		FBI_PROCESS_DT		No	No	VARCHAR2(8)	NULL
FD258EE_AP_RESULT_BATCH		LOAD_DT		No	No	DATE	NULL
FD258EE_AP_RESULT_BATCH		IAFIS_TCN		No	No	VARCHAR2(40)	NULL
FD258EE_AP_RESULT_BATCH		IAFIS_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_AP_RESULT_BATCH		APPLICANT_DOB		No	No	DATE	NULL
FD258EE_AP_RESULT_BATCH		FBI_SENT_DT		No	No	DATE	NULL
FD258EE_AP_RESULT_BATCH		LOC_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_RESULT_BATCH		EXT_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		PROCESS_CID		No	No	VARCHAR2(13)	NOT NULL
FD258EE_AP_SEND_DATA		CIDN_ANUM		No	No	VARCHAR2(10)	NULL
FD258EE_AP_SEND_DATA		SCHEDULING_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_SEND_DATA		CIDN_DT_STAMP		No	No	VARCHAR2(12)	NULL
FD258EE_AP_SEND_DATA		RETURN_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		TYPE_DOCUMENT		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		TYPE_SEARCH_REQ		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		PROC_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		MNU_NBR		No	No	VARCHAR2(15)	NULL
FD258EE_AP_SEND_DATA		LAST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_SEND_DATA		FIRST_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_SEND_DATA		MIDDLE_NAME		No	No	VARCHAR2(50)	NULL
FD258EE_AP_SEND_DATA		REASON_FP_FORM		No	No	VARCHAR2(6)	NULL
FD258EE_AP_SEND_DATA		POB_CODE		No	No	VARCHAR2(2)	NULL
FD258EE_AP_SEND_DATA		DOB_DT_1		No	No	DATE	NULL
FD258EE_AP_SEND_DATA		DOB_DT_2		No	No	DATE	NULL
FD258EE_AP_SEND_DATA		DOB_DT_3		No	No	DATE	NULL
FD258EE_AP_SEND_DATA		SSN_1		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		SSN_2		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		SSN_3		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		FBI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		ASC_SITE_CODE		No	No	VARCHAR2(6)	NULL
FD258EE_AP_SEND_DATA		ASC_MACHINE_ID		No	No	VARCHAR2(2)	NULL
FD258EE_AP_SEND_DATA		ASC_USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_SEND_DATA		AKA_1		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		AKA_2		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		AKA_3		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		AKA_4		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		AKA_5		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		HEIGHT		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		WEIGHT		No	No	NUMBER(5)	NULL
FD258EE_AP_SEND_DATA		EYE_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_SEND_DATA		HAIR_COLOR_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_AP_SEND_DATA		LOCAL_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		FBI_SENT_DT		No	No	DATE	NULL
FD258EE_AP_SEND_DATA		FBI_NAME		No	No	VARCHAR2(30)	NULL
FD258EE_AP_SEND_DATA		BUNDLE_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_SEND_DATA		BATCH_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_SEND_DATA		BATCH_USER_ID		No	No	VARCHAR2(8)	NULL
FD258EE_AP_SEND_DATA		EXT_SYS		No	No	VARCHAR2(15)	NULL
FD258EE_AP_SEND_DATA		EXT_SYS_ID		No	No	VARCHAR2(13)	NULL
FD258EE_AP_SEND_DATA		REGIONAL_ORI_NBR		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		GENDER_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		RACE_CODE		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		CITZ_CODE		No	No	VARCHAR2(9)	NULL
FD258EE_AP_SEND_DATA		C3_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		C4_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		MF_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		TAPE_ACK_FLAG		No	No	VARCHAR2(1)	NULL
FD258EE_AP_SEND_DATA		IAFIS_TCN		No	No	VARCHAR2(40)	NULL

FD258EE_AP_SEND_DATA		IAFIS_TCR		No	No	VARCHAR2(40)	NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	PROCESS_INST_ID		Yes	No	VARCHAR2(13)	NOT NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	ERROR_DTIME		Yes	No	DATE	NOT NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	ERROR_NBR		Yes	No	NUMBER(5)	NOT NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	ERROR_DESC		No	No	VARCHAR2(255)	NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	ERROR_SOURCE		No	No	VARCHAR2(120)	NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	ACT_INST_ID		No	No	NUMBER(10)	NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	ACT_CODE		No	No	VARCHAR2(20)	NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	LOC_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_ERROR_LOG	contains all errors that occurred in all fd258ee operations	LOC_SUB_CODE		No	No	VARCHAR2(3)	NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_REC_ID	Unique Sequence Number for this record - Generated on Insert	Yes	No	NUMBER(5)	NOT NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_DTIME	Current date/time when the record is inserted - Generated on Insert	No	No	DATE	NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_CODE	A Type code created within FD-258 EE	No	No	VARCHAR2(4)	NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_STATUS	A Status code created within FD-258 EE (The EFIPS SP Always supplies 'NEW')	No	No	VARCHAR2(3)	NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_DESC	Description of the Error - Supplied from within the FD-258 EE Error Handler or the EFIPS SP	No	No	VARCHAR2(200)	NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_DATA	The defective data element if any.	No	No	VARCHAR2(130)	NULL
FD258EE_IAFIS_ERROR_LOG		ERROR_SOURCE		No	No	VARCHAR2(120)	NULL
FD258EE_IAFIS_ERROR_LOG		TCN	The identifier for the actual card - Usually present - might be missing, Duplicates OK	No	No	VARCHAR2(40)	NULL
FD258EE_LK_CIDN		FBI_CIDN_KEY	the service center's key to their CIDN Control Number record (i.e., FBIEAC for EAC, FBILIN for LIN, FBISRC for SRC, and FBIWAC for WAC	Yes	No	VARCHAR2(6)	NOT NULL
FD258EE_LK_CIDN		FBI_CIDN_PREFIX	a unique identifier for the CIDN, which identifies the office processing the FD-258 to the FBI (i.e., C for California, N for Nebraska, T for Texas, and V for Vermont)	No	No	VARCHAR2(1)	NULL
FD258EE_LK_CIDN		FBI_CIDN_PROC_DAY_QTY	the sequential processing day in hexadecimal (e.g., day 15 would be "00F"	No	No	NUMBER(5)	NULL
FD258EE_LK_CIDN		FBI_CIDN_SEQ_NBR	the sequential number within the processing day	No	No	NUMBER(5)	NULL
FD258EE_LK_CIDN		FBI_CIDN_LAST_DT	the last date that CIDNs were generated	No	No	DATE	NULL
FD258EE_LK_CIDN		FBI_SER	the service center's ORI number	No	No	VARCHAR2(3)	NULL
FD258EE_LK_EXT_SYS		EXT_SYS		Yes	No	VARCHAR2(15)	NOT NULL
FD258EE_LK_EXT_SYS		FORM_NBR		No	No	VARCHAR2(6)	NULL
FD258EE_LK_EXT_SYS		EXT_SYS_DESC		No	No	VARCHAR2(50)	NULL
FD258EE_LK_EXT_SYS		EXT_SYS_ID_IND		No	No	VARCHAR2(1)	NULL
FD258EE_LK_EYE_COLOR		FBI_EYE_COLOR_CODE		Yes	No	VARCHAR2(30)	NOT NULL
FD258EE_LK_EYE_COLOR		FBI_EYE_COLOR_DESC		No	No	VARCHAR2(30)	NULL
FD258EE_LK_HAIR_COLOR		FBI_HAIR_COLOR_CODE		Yes	No	VARCHAR2(3)	NOT NULL
FD258EE_LK_HAIR_COLOR		FBI_HAIR_COLOR_DESC		No	No	VARCHAR2(30)	NULL
FD258EE_LK_MISC		FBI_MISC_NBR		Yes	No	VARCHAR2(15)	NOT NULL
FD258EE_LK_MISC		FBI_MISC_DESC		No	No	VARCHAR2(80)	NULL
FD258EE_LK_RACE		FBI_RACE_CODE		Yes	No	VARCHAR2(1)	NOT NULL
FD258EE_LK_RACE		FBI_RACE_DESC		No	No	VARCHAR2(80)	NULL
FD258EE_LK_SEX		FBI_SEX_CODE		Yes	No	VARCHAR2(1)	NOT NULL
FD258EE_LK_SEX		FBI_SEX_DESC		No	No	VARCHAR2(30)	NULL
FD258EE_LK_VALID_FORM		FBI_FORM_NBR		Yes	No	VARCHAR2(6)	NOT NULL
FD258EE_LK_VALID_FORM		FBI_FORM_DESC		No	No	VARCHAR2(80)	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	SEQ_NBR	the sequence number to identify the specific occurrence	Yes	No	NUMBER(5)	NOT NULL

IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	FROMUS_DEPARTED_DT	the date the person departed the United States	No	No	DATE	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	TOUS_RETURN_DT	the date the applicant returned to the United States	No	No	DATE	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	ABSENT_REASON_DESC	the reason for the absence from the United States	No	No	VARCHAR2(50)	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	DESTINATION_CNTRY_CODE	the code of the destination country	No	No	VARCHAR2(5)	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	ABSENT_6_MONTH_FLAG	Yes (Y) No (N) flag that denotes whether the person departed the United States for 6 months or more	No	No	VARCHAR2(1)	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	FROMUS_POE_DEPARTED_CODE	the United-States departure port-of-entry (POE) code	No	No	VARCHAR2(3)	NULL
IBS_AP_ABSENT_US_HISTORY	contains history of applicant's travel to and from the United States	ABSENT_DETAILS	the details of the absence from the United States	No	No	VARCHAR2(50)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	ADDR_TYPE_IND	the indicator that denotes the applicant's (M)ailing or (R)esidential address	Yes	No	VARCHAR2(2)	NOT NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	SEQ_NBR	the sequence number to identify the specific occurrence	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	START_DT	the start date	No	No	DATE	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	END_DT	the end date	No	No	DATE	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	INCAREOF	the name of the principal person at the address	No	No	VARCHAR2(34)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	BLDG_RM	the room number within the building at the address	No	No	VARCHAR2(34)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	STREET_NBR	the street number	No	No	VARCHAR2(10)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	STREET_NAME	the street name	No	No	VARCHAR2(34)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(28)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(9)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	COUNTY_NAME	the name of the county within a state within the United States	No	No	VARCHAR2(25)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	PROVINCE	the geographical location in the foreign country	No	No	VARCHAR2(20)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	POSTAL_CODE	the code that directs mail delivery to the desired geographical area in the foreign country	No	No	VARCHAR2(9)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	CNTRY_CODE	the standard code that denotes the country	No	No	VARCHAR2(5)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	USER_ID		No	No	VARCHAR2(8)	NULL
IBS_AP_ADDRESS	contains applicant's mailing and/or residential address	UPDATED_DATETIME		No	No	DATE	NULL
IBS_AP_ADDRESS_TEMP		APP_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_ADDRESS_TEMP		ADDR_TYPE_IND		No	No	VARCHAR2(2)	NOT NULL
IBS_AP_ADDRESS_TEMP		SEQ_NBR		No	No	NUMBER(5)	NOT NULL
IBS_AP_ADDRESS_TEMP		START_DT		No	No	DATE	NULL
IBS_AP_ADDRESS_TEMP		END_DT		No	No	DATE	NULL
IBS_AP_ADDRESS_TEMP		INCAREOF		No	No	VARCHAR2(34)	NULL
IBS_AP_ADDRESS_TEMP		BLDG_RM		No	No	VARCHAR2(34)	NULL
IBS_AP_ADDRESS_TEMP		STREET_NBR		No	No	VARCHAR2(10)	NULL
IBS_AP_ADDRESS_TEMP		STREET_NAME		No	No	VARCHAR2(34)	NULL
IBS_AP_ADDRESS_TEMP		CITY		No	No	VARCHAR2(28)	NULL
IBS_AP_ADDRESS_TEMP		STATE_CODE		No	No	VARCHAR2(2)	NULL
IBS_AP_ADDRESS_TEMP		ZIP_CODE		No	No	VARCHAR2(9)	NULL
IBS_AP_ADDRESS_TEMP		COUNTY_NAME		No	No	VARCHAR2(25)	NULL
IBS_AP_ADDRESS_TEMP		PROVINCE		No	No	VARCHAR2(20)	NULL

IBS_AP_ADDRESS_TEMP		POSTAL_CODE		No	No	VARCHAR2(9)	NULL
IBS_AP_ADDRESS_TEMP		CNTRY_CODE		No	No	VARCHAR2(5)	NULL
IBS_AP_ADDRESS_TEMP		USER_ID		No	No	VARCHAR2(8)	NULL
IBS_AP_ADDRESS_TEMP		UPDATED_DATETIME		No	No	DATE	NULL
IBS_AP_ADDRESS_TEMP		NEW_COUNTY_NAME		No	No	VARCHAR2(25)	NULL
IBS_AP_ADDRESS_TEMP		NEW_USER_ID		No	No	VARCHAR2(8)	NULL
IBS_AP_ADDRESS_TEMP		NEW_UPDATE_DATETIME		No	No	DATE	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	USER_ID	the user-identification code	Yes	No	VARCHAR2(8)	NOT NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	ACT_INST_ID	the identification for the activity instance, created by sequence number generator	Yes	No	NUMBER(10)	NOT NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing one activity	No	No	VARCHAR2(16)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	ADJ_RSLT_REASON	the number that represents the reason for the result	No	No	NUMBER(10)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	ADJ_RSLT_NOTES	the adjudicator's notes for the application	No	No	VARCHAR2(255)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	BENE_SEQ_NBR	the system-generated number that denotes the specific instance of the multi-beneficiary; i.e., 1, 2, 3, 4 ...	No	No	NUMBER(5)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	INTERPRETER_NAME	the name of the interpreter presented with the applicant(s) in front of the adjudicator	No	No	VARCHAR2(50)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	LANGUAGE	the language is used for interpreting	No	No	VARCHAR2(10)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	REP_WAIVER_FLAG	Yes (Y) No (N) flag that indicates whether the representative has been waived	No	No	VARCHAR2(1)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	REP_PRESENT_FLAG	Yes (Y) No (N) flag that indicates whether the representative has been presented	No	No	VARCHAR2(1)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	GOV_AGENT_REVIEWER	the government agent reviewer	No	No	VARCHAR2(10)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	ADJ_USER_ID	the adjudicator's user-identification code	No	No	VARCHAR2(8)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	RSLT_DTIME	the date and time on which the adjudicator decided the case	No	No	DATE	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	NOTICE_TYPE_CODE	the code that denotes the type of notice to be printed in batch; i.e., receipt of application, or notification for performance of the INS service (i.e., REC - Receipt, DEN - Denial)	No	No	VARCHAR2(3)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	NOTICE_CODE	the code that represents the subsidiary level of the action for the notice	No	No	VARCHAR2(5)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	NOTICE_ID	the unique number assigned to identify this notice	No	No	NUMBER(10)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	MENU_ITEM_ID	the identification of the menu item	No	No	VARCHAR2(5)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	CREATED_DTIME		No	No	DATE	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	REVERIFIER_USER_ID		No	No	VARCHAR2(8)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	REVERIFIER_RSLT_DTIME		No	No	DATE	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	SUPERVISOR_REVIEWER_USER_ID		No	No	VARCHAR2(8)	NULL
IBS_AP_ADJ_RSLT	contains results of the adjudication process	SUPERVISOR_REVIEWER_RSLT_DTIME		No	No	DATE	NULL
IBS_AP_ALIAS	contains all aliases of an individual	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_ALIAS	contains all aliases of an individual	SEQ_NBR	the sequence number to identify the specific occurrence	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_ALIAS	contains all aliases of an individual	ALIAS_LEARNED_DT	the date the Immigration and Naturalization Service (INS) learned the person's alias	No	No	DATE	NULL
IBS_AP_ALIAS	contains all aliases of an individual	ALIAS_LAST_NAME	the last-name alias assumed by the person	No	No	VARCHAR2(30)	NULL
IBS_AP_ALIAS	contains all aliases of an individual	ALIAS_FIRST_NAME	the first-name alias assumed by the person	No	No	VARCHAR2(18)	NULL
IBS_AP_ALIAS	contains all aliases of an individual	ALIAS_MIDDLE_NAME	the middle-name alias assumed by the person	No	No	VARCHAR2(18)	NULL
IBS_AP_ALIAS	contains all aliases of an individual	ALIAS_SUFFIX_CODE	the suffix-name alias assumed by the person	No	No	VARCHAR2(3)	NULL
IBS_AP_ALIAS	contains all aliases of an individual	ALIAS_TYPE_CODE	the code that denotes the specific alias type, ONU = Other Name Used, FBI = FBI Alias, NCP = Name Change Petition	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL

IBS_AP_APPLICANT	contains applicant's personal data	PER_ID	the system-generated number used to track each individual seeking an INS benefit	No	No	NUMBER(10)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	SUFFIX_CODE	the name-suffix code of the person (i.e., Sr., Jr., II, III, or IV)	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	SOUNDEX	the soundex code assigned to the person's last name for the soundex search	No	No	VARCHAR2(4)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_AP_APPLICANT	contains applicant's personal data	COB_CODE	the code that denotes the person's country of birth	No	No	VARCHAR2(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	BIRTH_STATE_CODE	the code that denotes the person's birth state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	BIRTH_CITY	the city where the person was born	No	No	VARCHAR2(20)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	BIRTH_PROVINCE	the province where the person was born	No	No	VARCHAR2(20)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	CITIZENSHIP_CNTRY_CODE	the code that denotes the person's country of citizenship	No	No	VARCHAR2(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	CITIZENSHIP_BASIS_IND	the code that denotes the person's citizenship based on, such as Birth = B; Derived = D; Marriage = M; Natz = N; Unknown = U; Birth Abroad = A	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	GENDER_CODE	the code that denotes the person's sex	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	MARITAL_STATUS_CODE	the code that denotes the person's maritial status	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	ED_CODE	the INS-Regulation code that denotes the person's educational level	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	OCC_CODE	the INS-Regulation code that denotes the occupation of the person	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	HEIGHT_FEET	the height of the person expressed in feet	No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	HEIGHT_INCHES	the height of the person expressed in inches	No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	WEIGHT_POUNDS	the weight of the person expressed in pounds	No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	ORIGINAL_ADM_STATUS_CODE	the original legal-immigration status conferred upon the alien by the United States (U.S.) Immigration Laws at the time of entry into the U.S., i.e., visitor, temporary worker ...	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	CURRENT_STATUS_CODE	the current legal-immigration status conferred upon the person by the U.S. immigration laws; i.e., permanent resident ...	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	CURRENT_STATUS_EXP_DT	the expiration date of the alien's current legal-immigration status	No	No	DATE	NULL
IBS_AP_APPLICANT	contains applicant's personal data	EAD_ELIGIBILITY_CODE	the immigration-class code that denotes the employment-eligibility category into which the individual has been classified; i.e., A03 (refugee), A04 (parolee ...	No	No	VARCHAR2(4)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	LAST_ARRIVAL_POE_CODE	the code that denotes the person's (alien or U.S. citizen) last U.S. port-of-entry (POE)	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	LAST_ARRIVAL_DT	the most recent arrival date of the person (alien or U.S. citizen) at the United States port-of-entry, i.e., 12/25/1996	No	No	DATE	NULL
IBS_AP_APPLICANT	contains applicant's personal data	SSN	the identification number used by the U.S. government to identify tax-paying individuals who are engaged in legal employment in the U.S.	No	No	VARCHAR2(9)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	FIRM_NAME	the name of the business organization	No	No	VARCHAR2(34)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	TAX_ID	the tax-identification number used by the United States government to identify the commercial organization	No	No	VARCHAR2(10)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	NATZ_CERT_NBR	the identification number that appears on the person's certificate-of-citizenship	No	No	VARCHAR2(12)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	I94_NBR	the admission number assigned to the person upon entry into the United States (U.S.) or territory	No	No	VARCHAR2(11)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	PHONE_NBR	the contact telephone number	No	No	VARCHAR2(10)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	VISA_ISSUE_DT	the date on which the visa was issued to the person	No	No	DATE	NULL

IBS_AP_APPLICANT	contains applicant's personal data	TOTAL_MARRIAGE_NBR	the total number of marriage	No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	TOTAL_CHILDREN_NBR	the total number of children	No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	PARENT_CITIZ_NBR	the number of parent who have US citizenship	No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	LAST_NAME_ON_ARC	the last name on the Alien Registration Card	No	No	VARCHAR2(30)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	FIRST_NAME_ON_ARC	the first name on the Alien Registration Card	No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	MIDDLE_NAME_ON_ARC	the middle name on the Alien Registration Card	No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	LOC_BEGIN_LPR	the office where the person start the lawful permanent resident processing	No	No	VARCHAR2(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	PERMRES_DT	the date the INS classified the person as a permanent resident of the United States	No	No	DATE	NULL
IBS_AP_APPLICANT	contains applicant's personal data	EYE_COLOR_CODE	Eye color code identifier	No	Yes	CHAR(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	HAIR_COLOR_CODE	Hair color code identifier	No	Yes	CHAR(3)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	RACE_CODE	Race code identifier	No	Yes	CHAR(1)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	PHONE_NBR_EVE		No	No	VARCHAR2(10)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	EMAIL_ADDR		No	No	VARCHAR2(100)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	TOTAL_SPOUSE_MARRIAGE_NBR		No	No	NUMBER(5)	NULL
IBS_AP_APPLICANT	contains applicant's personal data	MARITAL_STATUS_EXPL		No	No	VARCHAR2(255)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FORM_NBR	the number that denotes the Immigration and Naturalization Service's form; i.e., I765, I551...	No	Yes	VARCHAR2(6)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	MR_RECV_DTIME	the date and time the applicant's mail was received in the mailroom	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PART21_CODE	the code that denotes the selection of part-2-option-1 on the form represented by this record's form number	No	No	VARCHAR2(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PART22_CODE	the code that denotes the selection of part-2-option-2 on the form represented by this record's form number	No	Yes	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PART2MULTI_WORD	the location on the form or screen where answers to the questions may be indicated by using multiple check-marks	No	No	NUMBER(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	REQ_EXAM_LOC_CODE	the code that denotes the applicant's requested examination location	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	REQ_EXAM_LOC_SUB_CODE	the code that denotes the applicant's requested examination sub-location	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	REQ_SRVC_TYPE_CODE	the code that denotes whether the requested oath ceremony will be administrative or court held, i.e. J = Judicial, A = Administrative, B = Both	No	Yes	VARCHAR2(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	REQ_OC_LOC_CODE	the code that denotes the applicant's requested oath ceremony location	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	REQ_OC_LOC_SUB_CODE	the code that denotes the applicant's requested oath ceremony sub-location	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PAYMENT_ID	the system-generated number used to track the fee charged for performance of the INS service	No	Yes	VARCHAR2(13)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FEE_CHARGED	the amount of fee which this application suppose to pay	No	No	NUMBER(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FEE_INCLUDED_FLAG	Yes (Y) No (N) flag that indicates whether the application fee has been included	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FEE_WAIVED_FLAG	Yes (Y) No (N) flag that indicates whether the application fee has been waived	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FEE_RECV_ELSEWHERE_FLAG	Yes (Y) No (N) flag that indicates whether the application fee has been received in other office	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FEE_RECV_LOC_CODE	the code that denotes the location of the INS office where received application fee	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FEE_RECV_LOC_SUB_CODE	the code that denotes the sub-location of the INS office where received application fee	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	VALID_FROM_DT	the beginning date of the approved benefit	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	VALID_TO_DT	the ending date of the approved benefit	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APPEALED_CODE	the code that denotes the kind of appeal filed	No	No	VARCHAR2(6)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APPEALED_DT	the date the case was appealed	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	ASSOCIATED_APP_ID	the application identifier (APP_ID) that is associated with an existing case	No	No	VARCHAR2(13)	NULL

IBS_AP_APPLICATION	contains application-data by form type for the applicant	REP_ID	the system generated identification number that is assigned to the representative	No	Yes	NUMBER(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	CONSULATE_CODE	the code that identifies the United States consulate office	No	Yes	VARCHAR2(20)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APP_STATUS_CODE	the code that denotes whether the case has been granted, denied, held, voided, or rejected	No	No	VARCHAR2(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	SRVC_TYPE_CODE	the code that denotes the service type	No	Yes	VARCHAR2(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APPLICANT_SIGNED_DT	the date that the application was signed by applicant	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APP_SIGNED_FLAG	Yes (Y) No (N) flag that denotes whether the application has been signed by the applicant	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	CIS_MATCH_FLAG	Yes (Y) No (N) flag that denotes whether the application match the A-Nbr, Name, DOB with CIS system	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	NAMED_BENES_QTY	the quantity of all named beneficiaries	No	No	NUMBER(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	UNNAMED_BENES_QTY	the quantity of all unnamed beneficiaries	No	No	NUMBER(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	OWNER_LOC_CODE	the location code that denotes the INS office that owns the case	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	OWNER_LOC_SUB_CODE	the sub-location code that denotes the INS office that owns the case	No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	LAST_INTV_DT	the last interview date	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	REQ_RESCH_NO_SOONER_THAN_DT	the latest date for rescheduling interview	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	RE_SCH_DELAY_TIME	the elapsed number of days between the initial and rescheduled interview	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	SCH_STATUS_CODE	the code that denotes the scheduling status, i.e. ready to be scheduled, scheduled, ...	No	No	VARCHAR2(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	ABSENT_US_SINCE_PR_FLAG	Yes (Y) No (N) indicator that denotes whether the applicant has been absent US since he had LPR status	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	EXPEDITED_PRIORITY_NBR	the number that denotes the level of priority assigned to this application	No	No	NUMBER(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	APP_SECT_OF_LAW_CODE	the code that denotes the section-of-law that authorizes the INS benefit; i.e., EAD's processing authorization, 8 CFR 274a.13 (classes of aliens authorized to accept employment) in the United States	No	No	VARCHAR2(20)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	READ_WRITE_ENGLISH_FLAG	Yes (Y) No (N) indicator that denotes that the applicant claim that whether he is able to read, speak and write English	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	SIGNED_BY_REP_DT	the date that the application was signed by representative	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	SIGNED_BY_REP_FLAG	Yes (Y) No (N) indicator that denotes whether the application was signed by representative	No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	NATZ_DT	the date that the applicant naturalized	No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	EXT_SYS_REC_ID	For cases received from an external system there Unique ID in that system	No	No	VARCHAR2(30)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PRIMARY_REF_NBR		No	No	VARCHAR2(13)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	CBO_LOC_CODE		No	Yes	VARCHAR2(3)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	CBO_CODE		No	Yes	VARCHAR2(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	FORM_VERSION		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	LEGAL_NAME_CHANGE_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PROPOSED_LEGAL_LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PROPOSED_LEGAL_FIRST_NAME		No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	PROPOSED_LEGAL_MIDDLE_NAME		No	No	VARCHAR2(18)	NULL

IBS_AP_APPLICATION	contains application-data by form type for the applicant	FORM_N648_ATTACHED_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	DISABILITY_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	HEARING_IMPAIRED_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	SIGN_LANGUAGE_TYPE		No	No	VARCHAR2(256)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	WHEEL_CHAIR_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	VISION_IMPAIRED_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	OTHER_DISABILITY_FLAG		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	OTHER_DISABILITY_DESC		No	No	VARCHAR2(256)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	TOTAL_DAYS_OUTSIDE_US		No	No	NUMBER(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	INTERVIEWER_LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	TOTAL_TRIPS_OUTSIDE_US		No	No	NUMBER(5)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	INTERVIEWER_FIRST_NAME		No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	INTERVIEWER_MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	INTERVIEWER_SIGNED_DT		No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	POSTMARK_DT		No	No	DATE	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	POSTMARK_DT_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	POSTMARK_MISSING_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	MILITARY	Yes (Y) No (N) flag that indicates whether the application is eligible for No-fee	No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	MILITARY_OVERSEAS	Yes (Y) No (N) flag that indicates whether the application is scheduled for Naturalization overseas	No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	BRANCH_CODE	the code that denotes the military branch of service	No	Yes	VARCHAR2(10)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	MILITARY_FINGERPRINT_SCHEDULED	Yes (Y) No (N) flag that indicates whether the application has a fingerprint appointment by DOD	No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	MILITARY_ALIENAGE_DISCHARGE		No	No	CHAR(1)	NULL
IBS_AP_APPLICATION	contains application-data by form type for the applicant	MILITARY_ACTIVE_DUTY	Yes (Y) No (N) flag that indicates whether the applicant has an active duty military status	No	No	CHAR(1)	NULL
IBS_AP_BENE	contains beneficiary's personal data	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_BENE	contains beneficiary's personal data	BENE_SEQ_NBR	the system-generated number that denotes the specific instance of the multi-beneficiary; i.e., 1, 2, 3, 4 ...	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_BENE	contains beneficiary's personal data	PER_ID	the system-generated number used to track each individual seeking an INS benefit	No	No	NUMBER(10)	NULL
IBS_AP_BENE	contains beneficiary's personal data	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_AP_BENE	contains beneficiary's personal data	LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_AP_BENE	contains beneficiary's personal data	FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_BENE	contains beneficiary's personal data	MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_BENE	contains beneficiary's personal data	SUFFIX_CODE	the name-suffix code of the person (i.e., Sr., Jr., II, III, or IV)	No	No	VARCHAR2(3)	NULL
IBS_AP_BENE	contains beneficiary's personal data	SOUNDEX	the soundex code assigned to the person's last name for the soundex search	No	No	VARCHAR2(4)	NULL
IBS_AP_BENE	contains beneficiary's personal data	DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_AP_BENE	contains beneficiary's personal data	COB_CODE	the code that denotes the person's country of birth	No	No	VARCHAR2(5)	NULL

IBS_AP_BENE	contains beneficiary's personal data	BIRTH_STATE_CODE	the code that denotes the person's birth state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_BENE	contains beneficiary's personal data	BIRTH_CITY	the city where the person was born	No	No	VARCHAR2(20)	NULL
IBS_AP_BENE	contains beneficiary's personal data	BIRTH_PROVINCE	the province where the person was born	No	No	VARCHAR2(20)	NULL
IBS_AP_BENE	contains beneficiary's personal data	CITIZENSHIP_CNTRY_CODE	the code that denotes the person's country of citizenship	No	No	VARCHAR2(5)	NULL
IBS_AP_BENE	contains beneficiary's personal data	CITIZENSHIP_BASIS_IND	the code that denotes the person's citizenship based on, such as Birth = B; Derived = D; Marriage = M; Natz = N; Unknown = U; Birth Abroad = A	No	No	VARCHAR2(1)	NULL
IBS_AP_BENE	contains beneficiary's personal data	GENDER_CODE	the code that denotes the person's sex	No	No	VARCHAR2(1)	NULL
IBS_AP_BENE	contains beneficiary's personal data	MARITAL_STATUS_CODE	the code that denotes the person's marital status	No	No	VARCHAR2(1)	NULL
IBS_AP_BENE	contains beneficiary's personal data	ED_CODE	the INS-Regulation code that denotes the person's educational level	No	No	VARCHAR2(3)	NULL
IBS_AP_BENE	contains beneficiary's personal data	OCC_CODE	the INS-Regulation code that denotes the occupation of the person	No	No	VARCHAR2(3)	NULL
IBS_AP_BENE	contains beneficiary's personal data	HEIGHT_FEET	the height of the person expressed in feet	No	No	NUMBER(5)	NULL
IBS_AP_BENE	contains beneficiary's personal data	HEIGHT_INCHES	the height of the person expressed in inches	No	No	NUMBER(5)	NULL
IBS_AP_BENE	contains beneficiary's personal data	WEIGHT_POUNDS	the weight of the person expressed in pounds	No	No	NUMBER(5)	NULL
IBS_AP_BENE	contains beneficiary's personal data	ORIGINAL_ADM_STATUS_CODE	the original legal-immigration status conferred upon the alien by the United States (U.S.) Immigration Laws at the time of entry into the U.S., i.e., visitor, temporary worker ...	No	No	VARCHAR2(3)	NULL
IBS_AP_BENE	contains beneficiary's personal data	CURRENT_STATUS_CODE	the current legal-immigration status conferred upon the person by the U.S. immigration laws; i.e., permanent resident ...	No	No	VARCHAR2(3)	NULL
IBS_AP_BENE	contains beneficiary's personal data	CURRENT_STATUS_EXP_DT	the expiration date of the alien's current legal-immigration status	No	No	DATE	NULL
IBS_AP_BENE	contains beneficiary's personal data	EAD_ELIGIBILITY_CODE	the immigration-class code that denotes the employment-eligibility category into which the individual has been classified; i.e., A03 (refugee), A04 (parolee...	No	No	VARCHAR2(4)	NULL
IBS_AP_BENE	contains beneficiary's personal data	LAST_ARRIVAL_POE_CODE	the code that denotes the person's (alien or U.S. citizen) last U.S. port-of-entry (POE)	No	No	VARCHAR2(3)	NULL
IBS_AP_BENE	contains beneficiary's personal data	LAST_ARRIVAL_DT	the most recent arrival date of the person (alien or U.S. citizen) at the United States port-of-entry, i.e., 12/25/1996	No	No	DATE	NULL
IBS_AP_BENE	contains beneficiary's personal data	SSN	the identification number used by the U.S. government to identify tax-paying individuals who are engaged in legal employment in the U.S.	No	No	VARCHAR2(9)	NULL
IBS_AP_BENE	contains beneficiary's personal data	I94_NBR	the admission number assigned to the person upon entry into the United States (U.S.) or teritory	No	No	VARCHAR2(11)	NULL
IBS_AP_BENE	contains beneficiary's personal data	PHONE_NBR	the contact telephone number	No	No	VARCHAR2(10)	NULL
IBS_AP_BENE	contains beneficiary's personal data	VISA_ISSUE_DT	the date on which the visa was issued to the person	No	No	DATE	NULL
IBS_AP_BKGDCHK	contains data of applicant's background check	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_BKGDCHK	contains data of applicant's background check	BKGDCHK_TYPE_CODE	the code that denotes the type of background check: example: F = FBI, C = CIS, A = AFile; M = military check,N= FBI Name/DOB check,V= CI SB1 Visa Check	Yes	Yes	VARCHAR2(1)	NOT NULL
IBS_AP_BKGDCHK	contains data of applicant's background check	BKGDCHK_STATE_CODE	the code that denotes the status of the background check; i.e., R = requested, W = waived Y = requested evidence received ...	Yes	Yes	VARCHAR2(1)	NOT NULL
IBS_AP_BKGDCHK	contains data of applicant's background check	BKGDCHK_NOTES	the comments and notes provided by the adjudicator	No	No	VARCHAR2(255)	NULL
IBS_AP_BOUNCED_CHECK	contains bounced-check data	PAYMENT_ID	the system-generated number used to track the fee charged for performance of the INS service	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_BOUNCED_CHECK	contains bounced-check data	REMITTANCE_SEQ_NBR	the system-generated number that denotes an instance of the application fee, be it one or more, i.e., 1, 2, 3, 4 ...	Yes	Yes	NUMBER(5)	NOT NULL
IBS_AP_BOUNCED_CHECK	contains bounced-check data	RECORDED_DT	the date when the result is recorded	No	No	DATE	NULL
IBS_AP_BOUNCED_CHECK	contains bounced-check data	USER_ID	the user-identification code	No	Yes	VARCHAR2(8)	NULL
IBS_AP_BOUNCED_CHECK	contains bounced-check data	LOC_CODE	the code that denotes the location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_AP_BOUNCED_CHECK	contains bounced-check data	LOC_SUB_CODE	the code that denotes the sub-location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	CASH_BOX_ID	the system-generated number used to track the cash box for receipting the payment/remittance	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	USER_ID	the user-identification code	No	No	VARCHAR2(8)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	CASH_BOX_STATUS_IND	the status which indicate where the cash box is standing. eg, O=Opened, C=Closed, R=Reconciled, A=Audited, J=Rejected	No	No	VARCHAR2(1)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	CREATED_DTIME	the date and time when the cash box opened	No	No	DATE	NULL

IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	CLOSED_DTIME	the date and time when the cash box closed	No	No	DATE	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	TOTAL_MONEY_AMT	the total amount is received when the cash box is closed	No	No	NUMBER(12,2)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	TOTAL_REMITTANCE_QTY	the total number of remittances is received when the cash box is closed	No	No	NUMBER(5)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	LOC_CODE	the code that denotes the location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	AUDITED_BY	the person that is actually performing the auditing functionality (e.g. USER_ID)	No	No	VARCHAR2(8)	NULL
IBS_AP_CASH_BOX	contains all cash-box data and total remittances associated with the individual cash box	AUDITED_DT	the date when the audit is performed	No	No	DATE	NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	PAYMENT_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	CREATED_DT		No	No	DATE	NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	APP_ID		No	No	VARCHAR2(13)	NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	DISCREPANCY_AMT		No	No	NUMBER(12,2)	NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	CHECK_NBR		No	No	VARCHAR2(16)	NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	ISSUED_DT		No	No	DATE	NULL
IBS_AP_DISCREP_PAYMENT	contains the difference between the payment-amount due for application processing and the amount paid	ISSUED_AMT		No	No	NUMBER(12,2)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	DOC_CONTROL_NBR	the system-generated or pre-established number that is used to track the printed document	Yes	No	VARCHAR2(12)	NOT NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	DOC_TYPE_CODE	the code that denotes the specific document; i.e., RE for United States reentry permit, RA for refugee travel document, and NC for naturalization certificate ...	No	No	VARCHAR2(10)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	DOC_STATUS_CODE	the code that denotes the status of the document; i.e., issued (I), pending (P), and destroyed (D)	No	No	VARCHAR2(10)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	USER_ID	the user-identification code	No	No	VARCHAR2(8)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	LAST_STATUS_DTIME	the date and time of the last assigned document-status code	No	No	DATE	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	STATUS_LOC_CODE	the code that denotes the location of the INS office, where the status was updated	No	No	VARCHAR2(3)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	STATUS_LOC_SUB_CODE	the code that denotes the sub-location of the INS office, where the status was updated	No	No	VARCHAR2(3)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	DOC_LOC_CODE	the code that denotes the location of the INS office, where the document is located	No	No	VARCHAR2(3)	NULL
IBS_AP_DOC_CONTROL	contains control data for each document associated with an application	DOC_LOC_SUB_CODE	the code that denotes the sub-location of the INS office, where the document is located	No	No	VARCHAR2(3)	NULL

IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	SEQ_NBR	the sequence number to identify the specific occurrence	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	EMP_FROM_DT	the date the employment began	No	No	DATE	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	EMP_TO_DT	the date the employment ended	No	No	DATE	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	EMPLOYER_NAME	the name of the employer	No	No	VARCHAR2(50)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	OCCUPATION_DESC	the description of the job function in the employment	No	No	VARCHAR2(50)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	JOB_CODE	the occupational speciality code	No	No	VARCHAR2(3)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	BLDG_RM	the room number within the building at the address	No	No	VARCHAR2(34)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	STREET_NBR	the street number	No	No	VARCHAR2(10)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	STREET_NAME	the street name	No	No	VARCHAR2(34)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(28)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(9)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	PROVINCE	the geographical location in the foreign country	No	No	VARCHAR2(20)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	POSTAL_CODE	the code that directs mail delivery to the desired geographical area in the foreign country	No	No	VARCHAR2(9)	NULL
IBS_AP_EMPLOY_HISTORY	contains employment history of the applicant	CNTRY_CODE	the standard code that denotes the country	No	No	VARCHAR2(5)	NULL
IBS_AP_EVIDENCE	contains evidence data required to process the application	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_EVIDENCE	contains evidence data required to process the application	EVID_SEQ_NBR	the system generated sequence number that denotes the specific item of evidence for the APP_ID	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_EVIDENCE	contains evidence data required to process the application	EVID_CODE	the code that denotes the specific evidence recognized by INS	No	Yes	NUMBER(5)	NULL
IBS_AP_EVIDENCE	contains evidence data required to process the application	EVID_STATE_IND	the indicator that denotes whether the evidence that corresponds to this record's evidence-type code has been waived; i.e., "W" for waived, "Y" for submitted	No	No	VARCHAR2(1)	NULL
IBS_AP_EVIDENCE	contains evidence data required to process the application	EVID_BELONGS_TO	the evidence belongs to this person	No	No	VARCHAR2(40)	NULL
IBS_AP_EVIDENCE	contains evidence data required to process the application	EVID_NOTES	the notes that describe the evidence represented by this record's application-identification code (APP_ID)	No	No	VARCHAR2(255)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		CIDN_ANUMBER		No	No	VARCHAR2(10)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		CIDN_EXT		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		NAME		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		DOB		No	No	DATE	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		BATCH_RESULT_DT		No	No	DATE	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		BATCH_RESULT		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		PRIOR_RESULT		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		ERROR_MESSAGE		No	No	VARCHAR2(30)	NULL

IBS_AP_FBI_NAME_TEMP_RESULT		ERROR_FIELDS		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_TEMP_RESULT		FILLER		No	No	VARCHAR2(8)	NULL
IBS_AP_FBI_NAME_TOTALS		TOTAL_ID		Yes	No	NUMBER(10)	NOT NULL
IBS_AP_FBI_NAME_TOTALS		TOTAL_NUMBER		No	No	NUMBER(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		JOB_NUMBER		No	No	NUMBER(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACT_INST_ID		No	No	NUMBER(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		ALIEN_CIDN_NBR		No	No	VARCHAR2(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		CIDN_EXT		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_UPLOAD		RQT_REASON		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_NAME_UPLOAD		NAME		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		ALIAS		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		ALIAS2		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		ALIAS3		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		ALIAS4		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		ALIAS5		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		DOB		No	No	VARCHAR2(8)	NULL
IBS_AP_FBI_NAME_UPLOAD		DOB2		No	No	VARCHAR2(8)	NULL
IBS_AP_FBI_NAME_UPLOAD		DOB3		No	No	VARCHAR2(8)	NULL
IBS_AP_FBI_NAME_UPLOAD		GENDER		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_NAME_UPLOAD		RACE		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_NAME_UPLOAD		COB		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		SOC		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_NAME_UPLOAD		SOC2		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_NAME_UPLOAD		SOC3		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_NAME_UPLOAD		UTDYEAR		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		USERFEE		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_NAME_UPLOAD		SEARCHLEVEL		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_NAME_UPLOAD		MISC1		No	No	VARCHAR2(15)	NULL
IBS_AP_FBI_NAME_UPLOAD		MISC2		No	No	VARCHAR2(15)	NULL
IBS_AP_FBI_NAME_UPLOAD		MISC3		No	No	VARCHAR2(15)	NULL
IBS_AP_FBI_NAME_UPLOAD		EMPDATA		No	No	VARCHAR2(64)	NULL
IBS_AP_FBI_NAME_UPLOAD		STREETNAME		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		STREETNUMBER		No	No	VARCHAR2(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACOUNTRY		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		ASTATE		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACITY		No	No	VARCHAR2(20)	NULL
IBS_AP_FBI_NAME_UPLOAD		FROMYEAR		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		TOYEAR		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		STREETNAME2		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		STREETNUMBER2		No	No	VARCHAR2(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACOUNTRY2		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		ASTATE2		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACITY2		No	No	VARCHAR2(20)	NULL
IBS_AP_FBI_NAME_UPLOAD		FROMYEAR2		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		TOYEAR2		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		STREETNAME3		No	No	VARCHAR2(30)	NULL
IBS_AP_FBI_NAME_UPLOAD		STREETNUMBER3		No	No	VARCHAR2(10)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACOUNTRY3		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		ASTATE3		No	No	VARCHAR2(2)	NULL
IBS_AP_FBI_NAME_UPLOAD		ACITY3		No	No	VARCHAR2(20)	NULL
IBS_AP_FBI_NAME_UPLOAD		FROMYEAR3		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		TOYEAR3		No	No	VARCHAR2(4)	NULL
IBS_AP_FBI_NAME_UPLOAD		MILITARY		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_NAME_UPLOAD		HEIGHT		No	No	VARCHAR2(3)	NULL
IBS_AP_FBI_NAME_UPLOAD		WEIGHT		No	No	VARCHAR2(3)	NULL
IBS_AP_FBI_NAME_UPLOAD		EYECOLOR		No	No	VARCHAR2(3)	NULL
IBS_AP_FBI_NAME_UPLOAD		HAIRCOLOR		No	No	VARCHAR2(3)	NULL
IBS_AP_FBI_RESPONSE		APP_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_FBI_RESPONSE		CREATE_DTIME		Yes	No	DATE	NOT NULL
IBS_AP_FBI_RESPONSE		CIDN		No	No	VARCHAR2(10)	NULL
IBS_AP_FBI_RESPONSE		FBI_CONTROL_NBR		No	No	VARCHAR2(7)	NULL
IBS_AP_FBI_RESPONSE		RESPONSE_TYPE_CODE		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_RESPONSE		RESPONSE_CODE		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_RESPONSE		RESPONSE_DT		No	No	DATE	NULL

IBS_AP_FBI_RESPONSE		RESPONSE_USER_ID		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_RESPONSE		RESPONSE_ENTEREDBY_USER_ID		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_RESPONSE		MODIFIED_RESPONSE_CODE		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_RESPONSE		MODIFIED_RESPONSE_CODE_DT		No	No	DATE	NULL
IBS_AP_FBI_RESPONSE		MODIFIEDBY_USER_ID		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_RESPONSE		MODIFY_ENTEREDBY_USER_ID		No	No	VARCHAR2(9)	NULL
IBS_AP_FBI_RESPONSE		MODIFIED_REASON		No	No	VARCHAR2(255)	NULL
IBS_AP_FBI_RESPONSE		MODIFIED_DTIME		No	No	DATE	NULL
IBS_AP_FBI_RESPONSE		CURRENT_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_FBI_RESPONSE		FBI_RESPONSE_CODE		No	No	VARCHAR2(2)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	CIDN	the unique id of requested FBI inquiry	No	No	VARCHAR2(10)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	APPLICANT_TYPE	the indicator specifying if the applicant is direct("D") or non-direct ("N"	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	POB_CODE	the code that denotes the person's place of birth	No	No	VARCHAR2(5)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	ALIAS_NAME_1	the first alternative name for the applicant	No	No	VARCHAR2(30)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	ALIAS_NAME_2	the second alternative name for the applicant	No	No	VARCHAR2(30)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	ALIAS_NAME_3	the third alternative name for the applicant	No	No	VARCHAR2(30)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	GENDER_CODE	the code that denotes the person's sex	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	RACE_CODE	the code that denotes the person's ethnics	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	HEIGHT_CODE	the height of the person expressed in feet	No	No	VARCHAR2(3)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	WEIGHT_CODE	the weight of the person expressed in pounds	No	No	NUMBER(5)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	EYE_COLOR	the color code that denotes the person's eye color	No	No	VARCHAR2(3)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	HAIR_COLOR	the color code that denotes the person's hair color	No	No	VARCHAR2(3)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	SSN	the identification number used by the U.S. government to identify tax-paying individuals who are engaged in legal employment in the U.S.	No	No	VARCHAR2(9)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	FBI_NBR	the assigned number from fbi for a ident case	No	No	VARCHAR2(9)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	OCA_NBR	local identifier number provided by requester(government agent)	No	No	VARCHAR2(15)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	MISC_NBR	the military service number, A-number or ... for fbi to search	No	No	VARCHAR2(15)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	REGIONAL_ORI_NBR	the identifier of SC's regional government agency to be identified and billed by FBI	No	No	VARCHAR2(9)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	LOCAL_ORI_NBR	the identifier of local INS office to be identified and billed by FBI	No	No	VARCHAR2(9)	NULL

IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	FD258_SIGNED_FLAG	the (Y)es or (N)o flag that denotes whether the applicant signed on the FD258 card	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	FP_TAKER_SIGNED_FLAG	the (Y)es or (N)o flag that denotes whether the fingerprint taker signed on the FD258 card	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	DFS_CODE	the code that denotes the Designated Fingerprinting Service	No	No	VARCHAR2(13)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	DFS_EMPLOYEE	the employ of DFS	No	No	VARCHAR2(5)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	REASON_FINGERPRINT	the reason for this fingerprint check	No	No	VARCHAR2(6)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	USER_ID	the user-identification code	No	No	VARCHAR2(8)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	SECTION_ID	the section ID of the user entering the FD-258 data into the system	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	ENTERED_DT	the date the FD-258 data is entered into the system (e.g. YYYYMMDD, YY= YEAR, MM = Month , DD = Day of the month	No	No	DATE	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	ENTERED_TIME	the time the FD-258 data is entered into the system (e.g. HHMM, HH= hour from midnight, MM = minutes	No	No	DATE	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	FBI_NAME	the name of the applicant formatted for usage by the FBI	No	No	VARCHAR2(30)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	PRIORITY_FLAG	the priority of a fingerprint card to be processed at the FBI. Values are E = expedite and N = non-expedite (default)	No	No	VARCHAR2(1)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	PCN	FBI control Number storage	No	No	VARCHAR2(12)	NULL
IBS_AP_FD258	contains FD258 MRD in CLAIMS 4 for FBI interface	FBI_RESPONSE_DT	store finger print taken date	No	No	DATE	NULL
IBS_AP_GRP	contains identifiers that identify the group status, i.e., active or inactive	GRP_ID	the identifier that denotes the group that is represented by this record's group-type code	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_GRP	contains identifiers that identify the group status, i.e., active or inactive	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_GRP	contains identifiers that identify the group status, i.e., active or inactive	MEMBER_STATUS_IND	the indicator that denotes the group-member status; i.e., (A) active, (I) inactive ...	No	No	VARCHAR2(1)	NULL
IBS_AP_GRP	contains identifiers that identify the group status, i.e., active or inactive	GRP_TYPE_CODE	the code that denotes the specific group, i.e., ETHN=ethnic, FAMILY=family, REP=representative, CBO=cbo, or ADHOC=adhoc group ...	No	No	VARCHAR2(6)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_ID	the identifier that denotes the group that is represented by this record's group-type code	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_DESC	the name of the specific group (only for CBO and Ad-Hoc group type)	No	No	VARCHAR2(50)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_TYPE_CODE	the code that denotes the specific group, i.e., ETHN=ethnic, FAMILY=family, REP=representative, CBO=cbo, or ADHOC=adhoc group ...	No	No	VARCHAR2(6)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_RULE_ID	the identification that denotes the rule which is used for scheduling the group to the INS services	No	No	VARCHAR2(6)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_STATUS_IND	the indicator that denotes the group status; i.e., (A) active, (I) inactive, (C) closed	No	No	VARCHAR2(1)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	SEND_NOTICE_IND	the indicator that denotes whether the notice should be sent to the group or individual members; i.e., (B) Both Group and individual members, (G) Group only, (I) Individual members only	No	No	VARCHAR2(1)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	MAX_MEMBERS_QTY	the maximum number of members in a group	No	No	NUMBER(5)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_ACTIVATED_DT	the date when the group's status is active	No	No	DATE	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	GRP_CLOSED_DT	the date when the group's status is closed	No	No	DATE	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	CBO_LOC_CODE	the code that denotes the location of the INS office	No	Yes	VARCHAR2(3)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	CBO_CODE	the unique identifier that assigned by INS to denotes a specific CBO organization	No	Yes	VARCHAR2(5)	NULL
IBS_AP_GRP_DETAIL	contains detailed data about a specific group's application	REP_ID	the system generated identification number that is assigned to the representative	No	No	NUMBER(5)	NULL

IBS_AP_GRP_FAM_ADDRESS		GRP_ID	the identifier that denotes the group that is represented by this record's group-type code	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_GRP_FAM_ADDRESS		BLDG_RM	the room number within the building at the address	No	No	VARCHAR2(34)	NULL
IBS_AP_GRP_FAM_ADDRESS		STREET_NBR	the street number	No	No	VARCHAR2(10)	NULL
IBS_AP_GRP_FAM_ADDRESS		STREET_NAME	the street name	No	No	VARCHAR2(34)	NULL
IBS_AP_GRP_FAM_ADDRESS		CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(28)	NULL
IBS_AP_GRP_FAM_ADDRESS		STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_GRP_FAM_ADDRESS		ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(9)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SEQ_NBR	the sequence number to identify the specific occurrence	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	PER_ID	the system-generated number used to track each individual seeking an INS benefit	No	No	NUMBER(10)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_PER_ID	the non-modifiable spouse's identification code; note: spouse might already be resident in the database	No	No	NUMBER(10)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	MARRIAGE_DT	the date on which the marriage occurred	No	No	DATE	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_LAST_NAME	the last name of the spouse	No	No	VARCHAR2(30)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_MIDDLE_NAME	the middle name of the spouse	No	No	VARCHAR2(18)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_FIRST_NAME	the first name of the spouse	No	No	VARCHAR2(18)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_MAIDEN_NAME	the maiden name of the spouse	No	No	VARCHAR2(18)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_ALIEN_NBR	the identification number assigned an alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_SSN	the identification number used by the U.S. government to identify tax-paying individuals who are engaged in legal employment in the U.S.	No	No	VARCHAR2(9)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_DOB_DT	the spouse's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_COB_CODE	the code that designates the spouse's country of birth	No	No	VARCHAR2(5)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_CITIZENSHIP_CNTRY_CODE	the code that denotes the spouse's country of citizenship	No	No	VARCHAR2(5)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	RECORDED_DT	the recorded date of marriage	No	No	DATE	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	END_OF_MARRIAGE_DT	the date when the marriage ended	No	No	DATE	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_NATZ_DT	the date that the naturalization occurred	No	No	DATE	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_NATZ_CITY	the city where the naturalization occurred	No	No	VARCHAR2(28)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_NATZ_STATE_CODE	the state where the naturalization occurred	No	No	VARCHAR2(2)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	DIVORCE_CNTRY_CODE	the country code of the country in which the divorce occurred	No	No	VARCHAR2(5)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	HOW_MARRIAGE_ENDED	the reasons for how the marriage ended	No	No	VARCHAR2(255)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_STATUS_CODE	the prior spouse's immigration-status code, if applicable	No	No	VARCHAR2(3)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_PRIOR_MARRIAGE	the code that denotes whether spouse had prior marriage	No	No	VARCHAR2(1)	NULL

IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_NATZ_CERT_NBR	the spouse's naturalization certificate number	No	No	VARCHAR2(12)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	BLDG_RM	the room number within the building at the address	No	No	VARCHAR2(34)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	STREET_NBR	the street number	No	No	VARCHAR2(10)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	STREET_NAME	the street name	No	No	VARCHAR2(34)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(28)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(9)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	PROVINCE	the geographical location in the foreign country	No	No	VARCHAR2(20)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	POSTAL_CODE	the code that directs mail delivery to the desired geographical area in the foreign country	No	No	VARCHAR2(9)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	CNTRY_CODE	the standard code that denotes the country	No	No	VARCHAR2(5)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_US_CITIZEN_FLAG		No	No	CHAR(1)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_US_CITIZEN_TYPE		No	No	CHAR(1)	NULL
IBS_AP_MARRIAGE_HIST	contains marriage history of both applicant and spouse	SPOUSE_STATUS_OTHER_DESC		No	No	VARCHAR2(50)	NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9800150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	ANSWER_ALLEG_1	Yes (Y) or No (N) that indicates the answer of the allegiance question 1	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	ANSWER_ALLEG_2	Yes (Y) or No (N) that indicates the answer of the allegiance question 2	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	ANSWER_ALLEG_3	Yes (Y) or No (N) that indicates the answer of the allegiance question 3	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	ANSWER_ALLEG_4	Yes (Y) or No (N) that indicates the answer of the allegiance question 4	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	ANSWER_ALLEG_5	Yes (Y) or No (N) that indicates the answer of the allegiance question 5	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ALLEG_RSLT	contains allegiance-criteria selected in the application by the applicant	ANSWER_ALLEG_10H35		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9800150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_1	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 1	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_2A	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 2A	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_2B	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 2B	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_3	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 3	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_4	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 4	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_5	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 5	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	SELECT_SRVC_NBR	the selective service number that was registered under the Selective Register laws	No	No	VARCHAR2(10)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	SRVC_REGISTER_DT	the date that the selective service was registered	No	No	DATE	NULL

IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	LOCAL_BOARD_NBR	the local board number which represented the board where the selective service was registered before 1978	No	No	VARCHAR2(10)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	CLASSIFICATION	the classification of the selective service which was registered before 1978	No	No	VARCHAR2(30)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_6	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 6	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_7	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 7	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_8	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 8	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_9	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 9	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 10	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_11	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 11	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12A	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12A	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12B	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12B	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12C	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12C	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12D	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12D	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12E	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12E	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12F	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12F	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12G	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12G	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_13	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 13	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_14	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 14	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_15A	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 15A	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_15B	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 15B	No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_16		No	No	VARCHAR2(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10A2		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10A3		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10A5		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B8A		No	No	CHAR(1)	NULL

IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B9B		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B9C		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B10		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B11		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B12C		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10C13		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D17		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D18		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D19		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D20		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D21		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D22G		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D24		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10E25		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10E27		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10E28		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10F29		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG_RSLT	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10G33		No	No	CHAR(1)	NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	INCIDENT_SEQ_NBR	the number of the occurence that related to break or violate any law	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	INCIDENT_CITY	the city where the incident occurred	No	No	VARCHAR2(28)	NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	INCIDENT_STATE_CODE	the state where the incident occurred	No	No	VARCHAR2(2)	NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	INCIDENT_COUNTRY_CODE	the country where the incident occurred	No	No	VARCHAR2(5)	NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	INCIDENT_DTIME	the date and time when the incident occurred	No	No	DATE	NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	OFFENSE_NATURE	the nature of the offense	No	No	VARCHAR2(255)	NULL
IBS_AP_N400_ELIG15_ATTACH	contains data that identifies both incident and the location of it	CASE_OUTCOME	the disposition of the case	No	No	VARCHAR2(255)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_1	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 1	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_2A	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 2A	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_2B	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 2B	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_3	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 3	No	No	CHAR(1)	NULL

IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_4	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 4	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_5	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 5	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	SELECT_SRVC_NBR	the selective service number that was registered under the Selective Register laws	No	No	VARCHAR2(10)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	SRVC_REGISTER_DT	the date that the selective service was registered	No	No	DATE	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	LOCAL_BOARD_NBR	the local board number which represented the board where the selective service was registered before 1978	No	No	VARCHAR2(10)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	CLASSIFICATION	the classification of the selective service which was registered before 1978	No	No	VARCHAR2(30)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_6	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 6	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_7	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 7	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_8	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 8	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_9	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 9	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 10	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_11	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 11	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12A	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12A	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12B	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12B	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12C	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12C	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12D	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12D	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12E	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12E	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12F	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12F	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_12G	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 12G	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_13	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 13	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_14	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 14	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_15A	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 15A	No	No	CHAR(1)	NULL

IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_15B	Yes (Y) or No (N) that indicates the answer of the question related to eligibility factor 15B	No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_16		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10A2		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10A3		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10A5		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B8A		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B9B		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B9C		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B10		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B11		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10B12C		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10C13		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D17		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D18		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D19		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D20		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D21		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D22G		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10D24		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10E25		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10E27		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10E28		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10F29		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ELIG_10G33		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ALLEG_10H35		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	ANSWER_ALLEG_1		No	No	CHAR(1)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	PART21_CODE		No	No	VARCHAR2(10)	NULL
IBS_AP_N400_RSLT_ARCH	contains the eligibility answers that were selected in the application	MARITAL_STATUS_CODE		No	No	CHAR(1)	NULL
IBS_AP_NOSHOW_CANCEL	contains the count of both noshows and cancellations by the applicant for a scheduled interview or oath ceremony	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_NOSHOW_CANCEL	contains the count of both noshows and cancellations by the applicant for a scheduled interview or oath ceremony	INTV_APP_CANCEL_QTY	the number of cancellations by the applicant for interview	No	No	NUMBER(5)	NULL
IBS_AP_NOSHOW_CANCEL	contains the count of both noshows and cancellations by the applicant for a scheduled interview or oath ceremony	INTV_APP_NOSHOW_QTY	the number of noshows by the applicant for interview	No	No	NUMBER(5)	NULL

IBS_AP_NOSHOW_CANCEL	contains the count of both noshows and cancellations by the applicant for a scheduled interview or oath ceremony	OC_APP_CANCEL_QTY	the number of cancellations by the applicant for oath ceremony	No	No	NUMBER(5)	NULL
IBS_AP_NOSHOW_CANCEL	contains the count of both noshows and cancellations by the applicant for a scheduled interview or oath ceremony	OC_APP_NOSHOW_QTY	the number of noshows by the applicant for oath ceremony	No	No	NUMBER(5)	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_SEQ_NBR	the sequence number of the oragnizations which the person had associated with	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_FROM_DT	the date that the person begin the association with the organization	No	No	DATE	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_TO_DT	the date that the person stop the association with the organization	No	No	DATE	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_NAME	the name of the organization	No	No	VARCHAR2(50)	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_DESC	the text that describe the nature of the organization	No	No	VARCHAR2(255)	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_CITY	the city where the organization is located	No	No	VARCHAR2(28)	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_STATE_CODE	the state where the organization is located	No	No	VARCHAR2(2)	NULL
IBS_AP_ORGANIZATION	contains data pertaining to the organization with which the applicant is in or has been associated	ORG_COUNTRY_CODE	the country where the organization is located	No	No	VARCHAR2(5)	NULL
IBS_AP_PAYMENT	contains applicant's payment data	PAYMENT_ID	the system-generated number used to track the fee charged for performance of the INS service	Yes	No	VARCHAR2(13)	NOT NULL
IBS_AP_PAYMENT	contains applicant's payment data	TOTAL_PAYMENT_AMT	the total amount paid for one or more applications	No	No	NUMBER(12,2)	NULL
IBS_AP_PAYMENT	contains applicant's payment data	PAYMENT_DESC	the description of this payment	No	No	VARCHAR2(30)	NULL
IBS_AP_PAYMENT	contains applicant's payment data	NBR_OF_INITIAL_REMITTANCES	NBR_OF_INITIAL_REMITTANCES Number(5); varchar2(1)	No	No	NUMBER(5)	NULL
IBS_AP_PAYMENT	contains applicant's payment data	PAYMENT_STATUS_IND	the status indicator denoting the location where the payment was entered;	No	No	VARCHAR2(1)	NULL
IBS_AP_QA_RSLT	contains answers to application questions	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_QA_RSLT	contains answers to application questions	RECORDED_DTIME	the date and time when the result is recorded	Yes	No	DATE	NOT NULL
IBS_AP_QA_RSLT	contains answers to application questions	FORM_QUESTION_TYPE	the type of question	Yes	No	VARCHAR2(3)	NOT NULL
IBS_AP_QA_RSLT	contains answers to application questions	QUESTION_NBR	the pre-esigned number that denotes the question	Yes	No	VARCHAR2(4)	NOT NULL
IBS_AP_QA_RSLT	contains answers to application questions	ANSWER_GIVEN	the answer given by the applicant on the question	No	No	VARCHAR2(255)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_SEQ_NBR	the sequence number of relative for this specific application	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_TYPE_CODE	the code that identifies the type of relative except spouse; i.e., M is for mother, F is for father, C is for Child, and MB is for multi-beneficiary ...	No	Yes	VARCHAR2(2)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_PER_ID	the system-generated number that denotes the person who has the relationship with the applicant	No	No	NUMBER(10)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL

IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_ALIEN_NBR	the identification number assigned an alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_COB_CODE	the code that designaties the person's country of birth	No	No	VARCHAR2(5)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CITIZENSHIP_CNTRY_CODE	the code that denotes the person's country of citizenship	No	No	VARCHAR2(5)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CITIZENSHIP_BASIS_IND	the code that denotes the person's citizenship based on, such as Birth = B; Derived = D; Marriage = M; Natz = N; Unknown = U; Birth Abroad = A	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_STATUS_CODE	the code that denotes the dependent's legal immigration status	No	No	VARCHAR2(3)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_EFF_DT	the effective date of dependency; i.e., marriage or legal custody	No	No	DATE	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	RELATIVE_END_DT	the ending date of dependency; i.e., marriage or legal custody	No	No	DATE	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	DEPENDENCY_FLAG	Yes (Y) No (N) flag that denotes whether this relative is a dependent	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	LIVE_WITH_APPLICANT_FLAG	Yes (Y) No (N) flag that denotes whether dependent lives with applicant	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CHILD_SUPPORT_PD_FLAG	Yes (Y) No (N) flag that denotes whether CHILD-SUPPORT HAS been paid	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CHILD_SUPPORT_LATE_FLAG	Yes (Y) No (N) flag that denotes on-time or late CHILD-SUPPORT payment	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CHILD_SUPPORT_NOW_LATE_FLAG	Yes (Y) No (N) flag that denotes whether child-support payments are currently late	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	LAST_5YRS_REQD_FLAG	Yes (Y) No (N) flag that denotes whether CHILD-SUPPORT PAYMENTS were REQUIRED WITHIN LAST 5 YEARS	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	GT_2WKS_BHND_LAST_5YRS_FLAG	Yes (Y) No (N) flag that denotes CHILD-SUPPORT PAYMENTS have been MORE THAN TWO WEEKS BEHIND within LAST FIVE YEARS	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	GT_2WKS_BHND_NOW_FLAG	Yes (Y) No (N) flag that denotes CHILD-SUPPORT PAYMENTS are NOW MORE THAN TWO WEEKS BEHIND	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	NATZ_CERT_NBR	the identification number that appears on the person's certificate-of-citizenship	No	No	VARCHAR2(12)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	NAL_IND	the indicator that denotes the type of dependency N:natural born, A:adoptive, L:legitimated	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	ADOPT_LEGIT_DT	the date that the adoptive legal process is done	No	No	DATE	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	LEGAL_CUSTODY_FLAG	Yes (Y) No (N) flag that denotes whether this relative is a legal custody dependent	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	DESEASED_FLAG	Yes (Y) No (N) flag that denotes whether this relative is live or died	No	No	VARCHAR2(1)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	BLDG_RM	the room number within the building at the address	No	No	VARCHAR2(34)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	STREET_NBR	the street number	No	No	VARCHAR2(10)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	STREET_NAME	the street name	No	No	VARCHAR2(34)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(28)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(9)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	PROVINCE	the geographical location in the foreign country	No	No	VARCHAR2(20)	NULL

IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	POSTAL_CODE	the code that directs mail delivery to the desired geographical area in the foreign country	No	No	VARCHAR2(9)	NULL
IBS_AP_RELATIVE	contains required relative data in order to show the relationships with the applicant	CNTRY_CODE	the standard code that denotes the country	No	No	VARCHAR2(5)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	PAYMENT_ID	the system-generated number used to track the fee charged for performance of the INS service	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMITTANCE_SEQ_NBR	the system-generated number that denotes an instance of the application fee, be it one or more, i.e., 1, 2, 3, 4 ...	Yes	No	NUMBER(22)	NOT NULL
IBS_AP_REMITTANCE	contains various types of remittance data	USER_ID	the user-identification code	No	No	VARCHAR2(8)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_RECEIPT_DT	the date the applicaton fee was received and secured	No	No	DATE	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_TYPE_CODE	the code that denotes the remittance type	No	Yes	VARCHAR2(3)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	PAID_AMT	the application-fee amount received at an INS office	No	No	NUMBER(12,2)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMITTER_LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMITTER_FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMITTER_MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMITTER_SUFFIX_CODE	the name-suffix code of the person (i.e., Sr., Jr., II, III, or IV)	No	Yes	VARCHAR2(3)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_NBR	money order number, check serial number, credit card number	No	No	VARCHAR2(16)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_DT	the negotiable instrument's purchase date, i.e., money order, personal check(draft date) ...	No	No	DATE	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	CREDIT_CARD_AUTH_NBR	the authorization-purchase number returned when a credit card is swiped through a magnetic-stripe reader	No	No	VARCHAR2(6)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	CREDIT_CARD_ISSUANCE_DT	the credit card issuance date	No	No	DATE	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	CREDIT_CARD_EXP_DT	the credit card expiration date	No	No	DATE	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	IMO_CITY	the name of the city in which the International Money Order was purchased	No	No	VARCHAR2(20)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	IMO_CNTRY_CODE	the name of the country in which the International Money Order was purchased	No	No	VARCHAR2(5)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_STATUS_IND	the status indicator denoting whether the negotiable instrument was backed by sufficient funds or bounced; i.e., V for void or B for bounced	No	No	VARCHAR2(1)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_SIGNED_FLAG	Yes (Y) No (N) flag that denotes whether a negotiable instrument requiring a signature has been signed by individual paying the application fee	No	No	VARCHAR2(1)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	PAYABLE_IN_US_CUR_FLAG	Yes (Y) No (N) flag that denotes whether the payment is in U.S. currency	No	No	VARCHAR2(1)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	PAYABLE_TO_INS_FLAG	Yes (Y) No (N) flag that denotes whether the payment is payable to INS	No	No	VARCHAR2(1)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	USABLE_REMIT_FLAG	Yes (Y) No (N) flag that denotes whether the payment is usable by INS	No	No	VARCHAR2(1)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	REMIT_ACCEPTABLE_FLAG	Yes (Y) No (N) flag that denotes whether the payment is acceptable by INS	No	No	VARCHAR2(1)	NULL
IBS_AP_REMITTANCE	contains various types of remittance data	CASH_BOX_ID	the system-generated number used to track the cash box for receipting the payment/remittence	No	Yes	VARCHAR2(13)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	REP_ID	the system generated identification number that is assigned to the representative	Yes	No	NUMBER(10)	NOT NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	REP_LEGALSYSTEM_ID	the license number assigned to the representative by the legal system that grants authorization to practice of law	No	No	VARCHAR2(9)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	REP_STATE_LICENSE_NBR	the identification number assigned the representative for successfully passing the state's bar-examination	No	No	VARCHAR2(10)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	REP_VOLAG_NBR	the representative number that associates the representative with the volunteer-organization; i.e., religious, charitable, social service, or similar United States organization	No	No	VARCHAR2(10)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	FIRM_NAME	the name of the business organization	No	No	VARCHAR2(34)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	BLDG_RM	the room number within the building at the address	No	No	VARCHAR2(34)	NULL

IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	STREET_NBR	the street number	No	No	VARCHAR2(10)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	STREET_NAME	the street name	No	No	VARCHAR2(34)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(28)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(9)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	PROVINCE	the geographical location in the foreign country	No	No	VARCHAR2(20)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	POSTAL_CODE	the code that directs mail delivery to the desired geographical area in the foreign country	No	No	VARCHAR2(9)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	CNTRY_CODE	the standard code that denotes the country	No	No	VARCHAR2(5)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	PHONE_NBR	the contact telephone number	No	No	VARCHAR2(10)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	BEEPER_NBR	the person's beeper number	No	No	VARCHAR2(10)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	MOBILE_NBR	the person's mobile-telephone number	No	No	VARCHAR2(10)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	REP_TITLE	the representative's job title	No	No	VARCHAR2(18)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	VOLAG_SRVC_TYPE	the code that denotes the type of INS service the volunteer organization is authorized to perform	No	No	VARCHAR2(2)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	PAMS_KEY_NBR	the system generated key in PAMS as an unique identifier	No	No	VARCHAR2(9)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	USER_ID		No	No	VARCHAR2(8)	NULL
IBS_AP_REPRESENTATIVE	contains data pertaining to the attorney who represents the applicant	UPDATED_DATETIME		No	No	DATE	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		MARRIAGE_HIST_SEQ_NBR	The sequence number to identify the specific occurrence of the applicant's marriage history record	Yes	Yes	NUMBER(5)	NOT NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		SPOUSE_MARRIAGE_HIST_SEQ_NBR	The sequence number to identify the specific occurrence of the applicant's spouse's marriage history record	Yes	No	NUMBER(5)	NOT NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		MARRIAGE_DT	the date on which the marriage occurred	No	No	DATE	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		END_OF_MARRIAGE_DT	the date when the marriage ended	No	No	DATE	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		PRIOR_SPOUSE_LAST_NAME	The last name of the applicant's spouse's prior spouse	No	No	VARCHAR2(30)	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		PRIOR_SPOUSE_FIRST_NAME	The first name of the applicant's spouse's prior spouse	No	No	VARCHAR2(18)	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		PRIOR_SPOUSE_MIDDLE_NAME	The middle name of the applicant's spouse's prior spouse	No	No	VARCHAR2(18)	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		SPOUSE_STATUS_CODE	the prior spouse's immigration-status code, if applicable	No	No	VARCHAR2(3)	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		HOW_MARRIAGE_ENDED	The reasons for how the marriage ended	No	No	VARCHAR2(255)	NULL
IBS_AP_SPOUSE_MARRIAGE_HIST		SPOUSE_STATUS_OTHER_DESC		No	No	VARCHAR2(50)	NULL
IBS_AP_TEST_RSLT		APP_ID	the system-generated number used to track receipted cases (i.e., EAC*600150001)	Yes	Yes	VARCHAR2(13)	NOT NULL
IBS_AP_TEST_RSLT		RECORDED_DTIME	the date and time when the result is recorded	Yes	No	DATE	NOT NULL
IBS_AP_TEST_RSLT		TEST_DT	the date that the test happened	No	No	DATE	NULL

IBS_AP_TEST_RSLT		CITZ_END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing citizenship test	No	No	VARCHAR2(16)	NULL
IBS_AP_TEST_RSLT		ENGL_END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing English proficiency test	No	No	VARCHAR2(16)	NULL
IBS_AP_TEST_RSLT		TEST_SCORE	the test score earned by the applicant who has taken the INS-naturalization test	No	No	NUMBER(5)	NULL
IBS_AP_TEST_RSLT		TEST_AFFILIATION	the affiliation name of the INS service provider	No	No	VARCHAR2(20)	NULL
IBS_AP_TEST_RSLT		TEST_CENTER_NBR	the center or station number which represent the subsidary work force of the provider affiliation	No	No	VARCHAR2(20)	NULL
IBS_AP_TEST_RSLT		TEST_LOC_CODE	the test location code or identification code of the INS-approved testing organization	No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		TEST_LOC_SUB_CODE	the test sub-location code or identification code of the INS-approved testing organization	No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		TEST_ADMIN	the name of the test-administrator administering the INS naturalization test	No	No	VARCHAR2(30)	NULL
IBS_AP_TEST_RSLT		TEST_ADMIN_RATING	the test administrator's proficiency rating (on the scale of 1-5) assigned by the INS adjudicator	No	No	NUMBER(5)	NULL
IBS_AP_TEST_RSLT		ADJ_NOTES	the adjudicator's subjective notes	No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		USER_ID	the user-identification code	No	No	VARCHAR2(8)	NULL
IBS_AP_TEST_RSLT		ENGL_READ_SAMPLE_NBR		No	No	NUMBER(5)	NULL
IBS_AP_TEST_RSLT		ENGL_WRITE_SAMPLE_NBR		No	No	NUMBER(5)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_1		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_1		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_1		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_1_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_2		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_2		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_2		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_2_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_3		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_3		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_3		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_3_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_4		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_4		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_4		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_4_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_5		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_5		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_5		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_5_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_6		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_6		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_6		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_6_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_7		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_7		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_7		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_7_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_8		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_8		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_8		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_8_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_9		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_9		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_9		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_9_FLAG		No	No	VARCHAR2(1)	NULL
IBS_AP_TEST_RSLT		QUESTION_TYPE_10		No	No	VARCHAR2(3)	NULL
IBS_AP_TEST_RSLT		QUESTION_NBR_10		No	No	VARCHAR2(4)	NULL
IBS_AP_TEST_RSLT		ANSWER_10		No	No	VARCHAR2(255)	NULL
IBS_AP_TEST_RSLT		CORRECT_10_FLAG		No	No	VARCHAR2(1)	NULL
IBS_CBO_ERROR_LOG		APP_ID		No	No	VARCHAR2(13)	NULL
IBS_CBO_ERROR_LOG		INS_OFFICE_LOC_CODE		No	No	VARCHAR2(3)	NULL
IBS_CBO_ERROR_LOG		START_INTV_DT		No	No	DATE	NULL

IBS_CBO_ERROR_LOG		END_INTV_DT		No	No	DATE	NULL
IBS_CBO_ERROR_LOG		ERROR_DTIME		No	No	DATE	NULL
IBS_CBO_ERROR_LOG		ERROR_DESC		No	No	VARCHAR2(200)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	INS_ADMIN_LOC_CODE	the location code that denotes the district office, case-control office, or sometimes the service center	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_SCH_SITE_LOC_CODE	the code that denotes the scheduling location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_SCH_SITE_LOC_SUB_CODE	the code that denotes the scheduling sub-location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_LOC_CODE	the code that denotes the oath ceremony location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_LOC_SUB_CODE	the code that denotes the oath ceremony sub-location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_RM_ID	the code that denotes the oath-ceremony room designation, i.e., 46A, 46B, 460 ...	Yes	No	VARCHAR2(5)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_DT	the oath ceremony date	Yes	No	DATE	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_START_TIME	the oath ceremony start-time	Yes	No	DATE	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	No	VARCHAR2(13)	NOT NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	CERT_NBR	the certificate number appeared on the certificate	No	No	VARCHAR2(12)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	FIRST_NAME	the first name of the person	No	No	VARCHAR2(18)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(18)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	SUFFIX_CODE	the description of this record's suffix code	No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	GENDER_DESC	the text that describes sexual identity; i.e. M = Male; F = Female; and U = Unknown	No	No	VARCHAR2(10)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	HEIGHT_FEET	the height of the person expressed in feet	No	No	NUMBER(5)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	HEIGHT_INCHES	the height of the person expressed in inches	No	No	NUMBER(5)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	MARITAL_STATUS_DESC	the text that describes the marital status represented by this record's marital-status code: 1) single; 2) married; 3) widowed; 4) divorced; 5) separated; 9) unknown	No	No	VARCHAR2(20)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	CITIZENSHIP_CNTRY_DESC	the text that describes the person's country of citizenship	No	No	VARCHAR2(30)	NULL

IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	DO_CITY	the city of the district office location	No	No	VARCHAR2(28)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	DO_STATE_NAME	the state of the district office location	No	No	VARCHAR2(30)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_CONDUCTED_BY	the name of the person who conducted the oath ceremony	No	No	VARCHAR2(50)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_CITY	the city of the oath ceremony location	No	No	VARCHAR2(28)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_STATE_NAME	the state of the oath ceremony location	No	No	VARCHAR2(30)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_LOC_DESC_FLAG	Yes (Y) No (N) flag that indicates whether the description of the location is printed on the certificate	No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	OC_DATE_FLAG	Yes (Y) No (N) flag that indicates whether the date is printed on the certificate	No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	APP_PHOTO_FLAG	Yes (Y) No (N) flag that indicates whether the photo is used	No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	APP_PHOTO_PATH_NAME	the path name where the photo template is located	No	No	VARCHAR2(100)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	COMMISSIONER_SIGN_FLAG	Yes (Y) No (N) flag that indicates whether the commissioner name is used	No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	COMMISSIONER_SIGN_PATH_NAME	the path name where the commissioner stamp is located	No	No	VARCHAR2(255)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	BARCODE_FLAG	Yes (Y) No (N) flag that indicates whether the barcode is used	No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA	contains the data from which certificate data will be extracted to place on the naturalization certificate	COURT_CODE		No	No	VARCHAR2(10)	NULL
IBS_CERT_DATA_ARCH		APP_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_CERT_DATA_ARCH		CERT_NBR		Yes	No	VARCHAR2(12)	NOT NULL
IBS_CERT_DATA_ARCH		INS_ADMIN_LOC_CODE		No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA_ARCH		OC_SCH_SITE_LOC_CODE		No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA_ARCH		OC_SCH_SITE_LOC_SUB_CODE		No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA_ARCH		OC_LOC_CODE		No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA_ARCH		OC_LOC_SUB_CODE		No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA_ARCH		OC_RM_ID		No	No	VARCHAR2(5)	NULL
IBS_CERT_DATA_ARCH		OC_DT		No	No	DATE	NULL
IBS_CERT_DATA_ARCH		OC_START_TIME		No	No	DATE	NULL
IBS_CERT_DATA_ARCH		ALIEN_NBR		No	No	VARCHAR2(10)	NULL
IBS_CERT_DATA_ARCH		LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_CERT_DATA_ARCH		FIRST_NAME		No	No	VARCHAR2(18)	NULL
IBS_CERT_DATA_ARCH		MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
IBS_CERT_DATA_ARCH		SUFFIX_CODE		No	No	VARCHAR2(3)	NULL
IBS_CERT_DATA_ARCH		DOB_DT		No	No	DATE	NULL
IBS_CERT_DATA_ARCH		GENDER_DESC		No	No	VARCHAR2(10)	NULL
IBS_CERT_DATA_ARCH		HEIGHT_FEET		No	No	NUMBER(5)	NULL
IBS_CERT_DATA_ARCH		HEIGHT_INCHES		No	No	NUMBER(5)	NULL
IBS_CERT_DATA_ARCH		MARITAL_STATUS_DESC		No	No	VARCHAR2(20)	NULL
IBS_CERT_DATA_ARCH		CITIZENSHIP_CNTRY_DESC		No	No	VARCHAR2(30)	NULL
IBS_CERT_DATA_ARCH		DO_CITY		No	No	VARCHAR2(28)	NULL
IBS_CERT_DATA_ARCH		DO_STATE_NAME		No	No	VARCHAR2(30)	NULL
IBS_CERT_DATA_ARCH		OC_CONDUCTED_BY		No	No	VARCHAR2(50)	NULL
IBS_CERT_DATA_ARCH		OC_CITY		No	No	VARCHAR2(28)	NULL
IBS_CERT_DATA_ARCH		OC_STATE_NAME		No	No	VARCHAR2(30)	NULL

IBS_CERT_DATA_ARCH		OC_LOC_DESC_FLAG		No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA_ARCH		OC_DATE_FLAG		No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA_ARCH		APP_PHOTO_FLAG		No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA_ARCH		APP_PHOTO_PATH_NAME		No	No	VARCHAR2(100)	NULL
IBS_CERT_DATA_ARCH		COMMISSIONER_SIGN_FLAG		No	No	VARCHAR2(1)	NULL
IBS_CERT_DATA_ARCH		COMMISSIONER_SIGN_PATH_NAME		No	No	VARCHAR2(255)	NULL
IBS_CERT_DATA_ARCH		BARCODE_FLAG		No	No	VARCHAR2(1)	NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	CERT_NBR	the certificate number appeared on the certificate	Yes	No	VARCHAR2(12)	NOT NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	STATUS_DTIME	the date and time when any action was performed	Yes	No	DATE	NOT NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	USER_ID	the user-identification code	No	No	VARCHAR2(8)	NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	CERT_STATUS_CODE	the code that denotes the action to be performed, or that was performed on the case	No	No	VARCHAR2(10)	NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	CERT_STATUS_REASON	the reason that describe the action to be performed, or that was performed on the case	No	No	VARCHAR2(255)	NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	STATUS_LOC_CODE	the code that denotes the location of the INS office, where the status was updated	No	No	VARCHAR2(3)	NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	STATUS_LOC_SUB_CODE	the code that denotes the sub-location of the INS office, where the status was updated	No	No	VARCHAR2(3)	NULL
IBS_CERT_HISTORY	contains historical data pertaining to the applicant's naturalization certificate	ALIEN_NBR		No	No	VARCHAR2(10)	NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	INS_ADMIN_LOC_CODE	the location code that denotes the district office, case-control office, or sometimes the service center	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_SCH_SITE_LOC_CODE	the code that denotes the scheduling location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_SCH_SITE_LOC_SUB_CODE	the code that denotes the scheduling sub-location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_LOC_CODE	the code that denotes the oath ceremony location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_LOC_SUB_CODE	the code that denotes the oath ceremony sub-location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_RM_ID	the code that denotes the oath-ceremony room designation, i.e., 46A, 46B, 460 ...	Yes	No	VARCHAR2(5)	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_DT	the oath ceremony date	Yes	No	DATE	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	OC_START_TIME	the oath ceremony start-time	Yes	No	DATE	NOT NULL
IBS_CERT_PRT_OPTION	contains naturalization certificate print-option data, i.e., Ceremony_Date or Ceremony_Location	CERT_PRT_OPTION	the printing option for the certificate	Yes	No	VARCHAR2(40)	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	INS_ADMIN_LOC_CODE	the location code that denotes the district office, case-control office, or sometimes the service center	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_SCH_SITE_LOC_CODE	the code that denotes the scheduling location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL

IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_SCH_SITE_LOC_SUB_CODE	the code that denotes the scheduling sub-location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_LOC_CODE	the code that denotes the oath ceremony location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_LOC_SUB_CODE	the code that denotes the oath ceremony sub-location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_RM_ID	the code that denotes the oath-ceremony room designation, i.e., 46A, 46B, 460 ...	Yes	No	VARCHAR2(5)	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_DT	the oath ceremony date	Yes	No	DATE	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	OC_START_TIME	the oath ceremony start-time	Yes	No	DATE	NOT NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	PRT_REQ_DTIME	the date and time when the certificate print job was requested	No	No	DATE	NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	PRT_REQ_USER_ID	the user-identification code who requested the print job	No	No	VARCHAR2(8)	NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	CERT_TOT_QTY	total number of applicants that are required to attend this oath ceremony	No	No	NUMBER(5)	NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	CERT_PRT_Q_QTY	total number of applicants that are remain to be printed for this oath ceremony	No	No	NUMBER(5)	NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	LAST_APP_ID_PROCESSED	the last applicant identification code processed in the print job	No	No	VARCHAR2(13)	NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	CERT_PAPER_SIZE	the code that identifies different size of paper used for certificate printing (i.e. CERT_SIZE_CODE in IBS_LK_N400_CERT_FORMAT table)	No	No	VARCHAR2(3)	NULL
IBS_CERT_PRT_REQ	contains the certificate-printing data for the oath ceremony	COURT_CODE		No	No	VARCHAR2(10)	NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	INS_ADMIN_LOC_CODE	the location code that denotes the district office, case-control office, or sometimes the service center	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_SCH_SITE_LOC_CODE	the code that denotes the scheduling location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_SCH_SITE_LOC_SUB_CODE	the code that denotes the scheduling sub-location for the oath ceremony within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_LOC_CODE	the code that denotes the oath ceremony location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_LOC_SUB_CODE	the code that denotes the oath ceremony sub-location within the geographical area represented by the INS-administrative-location code	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_RM_ID	the code that denotes the oath-ceremony room designation, i.e., 46A, 46B, 460 ...	Yes	No	VARCHAR2(5)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_DT	the oath ceremony date	Yes	No	DATE	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	OC_START_TIME	the oath ceremony start-time	Yes	No	DATE	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	SORT_RQMNT_NBR	the number of sort requirement	Yes	No	VARCHAR2(3)	NOT NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	CERT_SORT_SEQ_NBR	the sequence number for the certificate sorting algorithm	Yes	No	NUMBER(5)	NOT NULL

IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	CERT_SORT_TABLE_NAME	the table name used in the certificate sorting algorithm	No	No	VARCHAR2(30)	NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	CERT_SORT_COLUMN_NAME	the column name used in the certificate sorting algorithm	No	No	VARCHAR2(30)	NULL
IBS_CERT_PRT_SORT	contains the order in which candidate information is sorted for a given ceremony, i.e., OC_RM_ID, OC_DT ...	CERT_SORT_ORDER	the sorting order (ascending, descending) used in the certificate sorting algorithm	No	No	VARCHAR2(1)	NULL
IBS_CPRS_COMP_ACT	contains completed workflow activities data for the application, which also supports the Integrated Voice Response System	ACT_INST_ID		Yes	No	NUMBER(10)	NOT NULL
IBS_CPRS_COMP_ACT	contains completed workflow activities data for the application, which also supports the Integrated Voice Response System	ACT_CODE		No	No	VARCHAR2(20)	NULL
IBS_CPRS_COMP_ACT	contains completed workflow activities data for the application, which also supports the Integrated Voice Response System	STATE_DTIME		No	No	DATE	NULL
IBS_CPRS_COMP_ACT	contains completed workflow activities data for the application, which also supports the Integrated Voice Response System	PROCESS_INST_ID		No	No	VARCHAR2(13)	NULL
IBS_CPRS_COMP_ACT	contains completed workflow activities data for the application, which also supports the Integrated Voice Response System	LOC_CODE		No	No	VARCHAR2(3)	NULL
IBS_CPRS_COMP_ACT	contains completed workflow activities data for the application, which also supports the Integrated Voice Response System	LOC_SUB_CODE		No	No	VARCHAR2(3)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	APP_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	ACTION_CODE		No	No	VARCHAR2(5)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	ACTION_CODE_DTIME		No	No	DATE	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	ACTION_LOC_SUBLOC_CODE		No	No	VARCHAR2(6)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	ALIEN_NBR		No	No	VARCHAR2(10)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	FORM_NBR		No	No	VARCHAR2(6)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	MR_RECV_DTIME		No	No	DATE	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	LAST_UPDATED_DTIME		No	No	DATE	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	CASE_LOC_SUBLOC_CODE		No	No	VARCHAR2(6)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	CASE_PROCESS_MIN_DAY_QTY		No	No	NUMBER(5)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	CASE_PROCESS_MAX_DAY_QTY		No	No	NUMBER(5)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	ZIP_CODE		No	No	VARCHAR2(9)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	CPRS_ARCHIVE_INFO		No	No	NUMBER(10)	NULL

IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	CPRS_ERROR_CODE		No	No	VARCHAR2(6)	NULL
IBS_CPRS_DATA	contains case status data for the application which also supports the Integrated Voice Response System	CPRS_TEMP_DT		No	No	DATE	NULL
IBS_CPRS_DATE	contains status-date data relative to the case, which also supports the Integrated Voice Respone System	APP_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_CPRS_DATE	contains status-date data relative to the case, which also supports the Integrated Voice Respone System	ACTION_CODE		Yes	No	VARCHAR2(5)	NOT NULL
IBS_CPRS_DATE	contains status-date data relative to the case, which also supports the Integrated Voice Respone System	VAR_DT_NAME		Yes	No	VARCHAR2(50)	NOT NULL
IBS_CPRS_DATE	contains status-date data relative to the case, which also supports the Integrated Voice Respone System	VAR_DT		No	No	DATE	NULL
IBS_CPRS_STRING	contains status text related to the case, which also supports the Intergrated Voice Response System	APP_ID		Yes	No	VARCHAR2(13)	NOT NULL
IBS_CPRS_STRING	contains status text related to the case, which also supports the Intergrated Voice Response System	ACTION_CODE		Yes	No	VARCHAR2(5)	NOT NULL
IBS_CPRS_STRING	contains status text related to the case, which also supports the Intergrated Voice Response System	VAR_STR_NAME		Yes	No	VARCHAR2(50)	NOT NULL
IBS_CPRS_STRING	contains status text related to the case, which also supports the Intergrated Voice Response System	VAR_STR		No	No	VARCHAR2(50)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	PROCESS_INST_ID	the identification for the specific process (e.g. APP_ID (application ID) if process code is "APP" or "N400", PAYMENT_ID if process code is "PAY"	No	No	VARCHAR2(13)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	ERROR_DTIME	the date and time when the error occurs	No	No	DATE	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	ERROR_NBR	the error number	No	No	NUMBER(10)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	ERROR_DESC	the description of the error message	No	No	VARCHAR2(255)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	ERROR_SOURCE	the source or starting point when the error occurs	No	No	VARCHAR2(2000)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	ACT_INST_ID	the identification for the activity instance, created by sequence number generator	No	No	NUMBER(10)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	No	No	VARCHAR2(20)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	LOC_CODE	the code that denotes the location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_ERROR_LOG	contains all errors that occurred in all CLAIMS 4 operations	LOC_SUB_CODE	the code that denotes the sub-location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_CHK_ERROR	contains errors resulting from Central Index System (CIS) processing of alien number	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	Yes	No	VARCHAR2(10)	NOT NULL
IBS_INT_CIS_CHK_ERROR	contains errors resulting from Central Index System (CIS) processing of alien number	RECEIVED_DT	the date when the notification file is received from CIS mainframe system	No	No	DATE	NULL
IBS_INT_CIS_CHK_ERROR	contains errors resulting from Central Index System (CIS) processing of alien number	ERROR_MESSAGE	the description of the error message	No	No	VARCHAR2(60)	NULL
IBS_INT_CIS_CHK_ERROR	contains errors resulting from Central Index System (CIS) processing of alien number	VALID_REC_IND	the code that denotes the validation of the record	No	No	VARCHAR2(1)	NULL
IBS_INT_CIS_CHK_ERROR	contains errors resulting from Central Index System (CIS) processing of alien number	FCO_CODE	the code that denotes the location of the INS FCO office	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	Yes	No	VARCHAR2(10)	NOT NULL

IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	LAST_NAME	the last name of the person	No	No	VARCHAR2(40)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	FIRST_NAME	the first name of the person	No	No	VARCHAR2(25)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	MIDDLE_INITIAL	the middle initial of the person	No	No	VARCHAR2(1)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	COB_CODE	the code that denotes the person's country of birth	No	No	VARCHAR2(5)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	COA_CODE	the code that denotes the class of admission	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	ACTION_DT	the date when the CIS verification is performed on the CIS system	No	No	DATE	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	COA_DATE_SOURCE	the date source of the class of admission	No	No	VARCHAR2(1)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	FCO_CODE	the code that denotes the location of the INS FCO office	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	VALID_REC_IND	the code that denotes the validation of the record	No	No	VARCHAR2(1)	NULL
IBS_INT_CIS_CHK_MATCH_RSLT	contains interface data input from the Central Index System (CIS), i.e., match result of CIS check	LAST_UPDATED_DTIME	the date and time when this record was last updated	No	No	DATE	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	Yes	No	VARCHAR2(9)	NOT NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_LAST_NAME	the last name of the person	No	No	VARCHAR2(40)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_FIRST_NAME	the first name of the person	No	No	VARCHAR2(25)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_MIDDLE_NAME	the middle name of the person	No	No	VARCHAR2(25)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	VARCHAR2(6)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_LAST_NAME	the last name of the person	No	No	VARCHAR2(40)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_FIRST_NAME	the first name of the person	No	No	VARCHAR2(25)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_NBR_C	naturalization certificate number	No	No	VARCHAR2(8)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_NBR_AA	citizenship (AA) number	No	No	VARCHAR2(7)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_NBR_DA	derivative citizenship (DA) number	No	No	VARCHAR2(7)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_TYPE_IND	the indicator that denotes whether the type of naturalization certificate is A= NS, B= DR	No	No	VARCHAR2(1)	NULL

IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_LOC_CODE	the code that denotes the location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_OC_DT	the oath ceremony date	No	No	VARCHAR2(8)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_STATUS_CODE	the code that denotes the action to be performed, or that was performed on the case	No	No	VARCHAR2(1)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	C_CERT_REASON_CODE	oath ceremony location code or court number, where the type of naturalization certificate is A	No	No	VARCHAR2(5)	NULL
IBS_INT_CIS_CLOSE_EXTRACT	contains all of the closed cases to be delivered to Central Index System (CIS) for updates	EXTRACT_COUNT_QTY	the number of times when this specific record is extracted to be uploaded to CIS system	No	No	NUMBER(5)	NULL
IBS_INT_CIS_REQ_Q	contains the request for Central Index System (CIS) check	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	Yes	No	VARCHAR2(13)	NOT NULL
IBS_INT_CIS_REQ_Q	contains the request for Central Index System (CIS) check	ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	Yes	No	VARCHAR2(10)	NOT NULL
IBS_INT_CIS_REQ_Q	contains the request for Central Index System (CIS) check	ACT_INST_ID	the identification for the activity instance, created by sequence number generator	Yes	No	NUMBER(10)	NOT NULL
IBS_INT_CIS_REQ_Q	contains the request for Central Index System (CIS) check	RQT_DTIME	the date and time when the CIS verification is requested for extraction	No	No	DATE	NULL
IBS_INT_CIS_REQ_Q	contains the request for Central Index System (CIS) check	LOC_CODE	the code that denotes the location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_REQ_Q	contains the request for Central Index System (CIS) check	LOC_SUB_CODE	the code that denotes the sub-location of the INS office	No	No	VARCHAR2(3)	NULL
IBS_INT_CIS_VERIFY_EXTRACT	contains concatenation of ten alien numbers of applicants from CLAIMS4 to Central Index System (CIS) for verification purpose	TEN_ALIEN_NBR	this field consists of 10 alien number, starting from the second character for each alien number	No	No	VARCHAR2(72)	NULL
IBS_INT_ERROR_LOG		APP_ID		No	No	VARCHAR2(13)	NULL
IBS_INT_ERROR_LOG		ERROR_CODE		No	Yes	VARCHAR2(2)	NULL
IBS_INT_ERROR_LOG		UPLOAD_DATE		No	No	DATE	NULL
IBS_INT_ERROR_LOG		APP_SYS_ID		No	Yes	VARCHAR2(10)	NULL
IBS_INT_ERROR_LOG		ERROR_FIELD		No	Yes	VARCHAR2(2)	NULL
IBS_INT_ERROR_LOG		ALIEN_NBR		No	No	VARCHAR2(10)	NULL
IBS_INT_FBI_MCHD_ANUM		APP_ID		No	No	VARCHAR2(13)	NULL
IBS_INT_FBI_MCHD_ANUM		ALIEN_NBR		No	No	VARCHAR2(10)	NULL
IBS_INT_FBI_MCHD_ANUM		LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_FBI_MCHD_ANUM		FIRST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_FBI_MCHD_ANUM		DOB		No	No	DATE	NULL
IBS_INT_FBI_MCHD_ANUM		FBI_LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_FBI_MCHD_ANUM		FBI_FIRST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_FBI_MCHD_ANUM		FBI_DOB		No	No	DATE	NULL
IBS_INT_FBI_MCHD_ANUM		FBI_PROCESS_DATE		No	No	DATE	NULL
IBS_INT_FBI_MCHD_ANUM		RESPONSE_CODE		No	No	VARCHAR2(1)	NULL
IBS_INT_FBI_MCHD_ANUM		MATCH_TYPE		No	No	VARCHAR2(1)	NULL
IBS_INT_FBI_SCRAPE		ALIEN_NBR		No	No	VARCHAR2(10)	NULL
IBS_INT_FBI_SCRAPE		LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_FBI_SCRAPE		FIRST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_FBI_SCRAPE		DOB		No	No	DATE	NULL
IBS_INT_FBI_SCRAPE		REASON_FP		No	No	VARCHAR2(5)	NULL
IBS_INT_FBI_SCRAPE		FBI_PROCESS_DATE		No	No	DATE	NULL
IBS_INT_FBI_SCRAPE		RESPONSE_CODE		No	No	VARCHAR2(1)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	APP_ID	the system-generated number used to track receipted cases (i.e., EAC9600150001)	No	No	VARCHAR2(13)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_ALIEN_NBR	the identification number that is assigned to the alien at the time of entry into the United States	No	No	VARCHAR2(10)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_RCPT_NBR	the system-generated number used to track receipted cases by NACS mainframe	No	No	VARCHAR2(13)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_FORM_NBR	the number that denotes the Immigration and Naturalization Service's form; i.e., I765, I551...	No	No	VARCHAR2(5)	NULL

IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_LAST_NAME	the last name of the person	No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_STREET	the street name	No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_CITY	the name of the city that is located in the United States or abroad	No	No	VARCHAR2(16)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_STATE_CODE	the code that denotes the state within the United States or territory	No	No	VARCHAR2(2)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_COUNTY_NAME	the name of the county within a state within the United States	No	No	VARCHAR2(16)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_ZIP_CODE	the postal-service code that denotes the mailing-address within the geographical area of the city or county	No	No	VARCHAR2(5)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_DOB_DT	the person's birth date as shown on the Form I551 Green Card (the card is actually blue in color)	No	No	DATE	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_COB_CODE	the code that denotes the person's country of birth	No	No	VARCHAR2(5)	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_PERMRES_DT	the date the INS classified the person as a permanent resident of the United States	No	No	DATE	NULL
IBS_INT_NACS_DUP	contains partial NACS data to be loaded into CLAIMS 4	INT_CCO_CODE	the code that denotes the location of the INS CCO office	No	No	VARCHAR2(3)	NULL
IBS_INT_NACS_EXTRACT		EXTRACT_ID		Yes	No	NUMBER(8)	NOT NULL
IBS_INT_NACS_EXTRACT		APP_ID		No	No	VARCHAR2(13)	NULL
IBS_INT_NACS_EXTRACT		ALIEN_NBR		No	No	CHAR(11)	NULL
IBS_INT_NACS_EXTRACT		TRANSACTION_CODE		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		ACT_CODE		No	No	VARCHAR2(20)	NULL
IBS_INT_NACS_EXTRACT		ACT_INST_ID		No	No	NUMBER(10)	NULL
IBS_INT_NACS_EXTRACT		RCPT_NBR		No	No	CHAR(13)	NULL
IBS_INT_NACS_EXTRACT		FORM_NBR		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		FIRST_NAME		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_EXTRACT		MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_EXTRACT		SUFFIX_CODE		No	No	VARCHAR2(3)	NULL
IBS_INT_NACS_EXTRACT		INCAREOF		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		RES_STREET		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		RES_CITY		No	No	VARCHAR2(16)	NULL
IBS_INT_NACS_EXTRACT		RES_STATE_CODE		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		RES_COUNTY_NAME		No	No	VARCHAR2(16)	NULL
IBS_INT_NACS_EXTRACT		RES_ZIP_CODE		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		DOB_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		COB_CODE		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		CITIZENSHIP_CNTRY_CODE		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		PERMRES_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		LOC_BEGIN_LPR		No	No	CHAR(3)	NULL
IBS_INT_NACS_EXTRACT		GENDER_CODE		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		MARITAL_STATUS_CODE		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		HEIGHT_FEET		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		HEIGHT_INCHES		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		PART21_CODE		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		PART22_CODE		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		PARENT_CITZ_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		MAIL_STREET		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		MAIL_STREET2		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		MAIL_CITY		No	No	VARCHAR2(28)	NULL
IBS_INT_NACS_EXTRACT		MAIL_STATE_CODE		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		MAIL_ZIP_CODE		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		CERT_LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		CERT_FIRST_NAME		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_EXTRACT		CERT_MIDDLE_NAME		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_EXTRACT		CERT_SUFFIX_CODE		No	No	CHAR(3)	NULL
IBS_INT_NACS_EXTRACT		MR_RECV_DTIME		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		SSN		No	No	CHAR(9)	NULL
IBS_INT_NACS_EXTRACT		NATLTY_CODE		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		SOUNDEX		No	No	CHAR(4)	NULL
IBS_INT_NACS_EXTRACT		PAMS_KEY_NBR		No	No	CHAR(8)	NULL

IBS_INT_NACS_EXTRACT		MILITARY_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		FP_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		CERT_TYPE_CODE		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		APP_SECT_OF_LAW_CODE		No	No	VARCHAR2(20)	NULL
IBS_INT_NACS_EXTRACT		CCO_LOC_CODE		No	No	CHAR(3)	NULL
IBS_INT_NACS_EXTRACT		I551_DOC_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		PHOTO_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		FD258_DOC_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		G325B_DOC_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		N426_DOC_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		AFFIDAVIT_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		ORIG_DOC_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		BIRTH_CERT_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		ADOPT_DECREE_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		CITZ_PARENT_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		PROVINCE		No	No	CHAR(14)	NULL
IBS_INT_NACS_EXTRACT		FILLER		No	No	CHAR(6)	NULL
IBS_INT_NACS_EXTRACT		POSTAL_CODE		No	No	CHAR(9)	NULL
IBS_INT_NACS_EXTRACT		MAIL_CNTRY_CODE		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		CASE_STATUS_CODE		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		DENIAL_REASON		No	No	CHAR(2)	NULL
IBS_INT_NACS_EXTRACT		CASE_CLOSED_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		CASE_STRPPED_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		FBI_RESPONSE_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		FBI_PROCESS_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		OVERRIDE_IND		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		OVERRIDE_USER_ID		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		EXPEDITE_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		EXPEDITE_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		EXPEDITE_USER_ID		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		CLOCK_IN_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		AFILE_RECV_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		AFILE_RECV_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		EXAM_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		EXAM_START_TIME		No	No	CHAR(4)	NULL
IBS_INT_NACS_EXTRACT		EXAM_LOC_CODE		No	No	CHAR(4)	NULL
IBS_INT_NACS_EXTRACT		OATH_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		OATH_START_TIME		No	No	CHAR(4)	NULL
IBS_INT_NACS_EXTRACT		OATH_LOC_CODE		No	No	CHAR(4)	NULL
IBS_INT_NACS_EXTRACT		NATURALIZED_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		CERT_NBR		No	No	CHAR(10)	NULL
IBS_INT_NACS_EXTRACT		GROUP_FAMILY_NBR		No	No	CHAR(16)	NULL
IBS_INT_NACS_EXTRACT		GROUP_CBO_NBR		No	No	CHAR(5)	NULL
IBS_INT_NACS_EXTRACT		GROUP_CBO_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		PHOTORECV_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		APP_SIGNED_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		FP_DT		No	No	CHAR(6)	NULL
IBS_INT_NACS_EXTRACT		FP_LOC_CODE		No	No	CHAR(6)	NULL
IBS_INT_NACS_EXTRACT		AFILE_REQ_DT1		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		AFILE_REQ_DT2		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		AFILE_REQ_DT3		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		AFILE_DLG_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		NAME_CHGD_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_EXTRACT		CHGD_NAME_FIRST		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_EXTRACT		CHGD_NAME_MIDDLE		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_EXTRACT		CHGD_NAME_LAST		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_EXTRACT		CHGD_SUFFIX_CODE		No	No	CHAR(3)	NULL
IBS_INT_NACS_EXTRACT		OCCUPATION_CODE		No	No	CHAR(3)	NULL
IBS_INT_NACS_EXTRACT		CASE_NATZ_CLSD_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		DENL_REASONS		No	No	VARCHAR2(48)	NULL
IBS_INT_NACS_EXTRACT		CASE_DEN_CLSD_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		CASE_ADM_CLSD_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		RNRCASE_ENTER_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		FBI_NAMECHK_DT		No	No	CHAR(8)	NULL
IBS_INT_NACS_EXTRACT		FBI_NAME_RESULTS		No	No	CHAR(16)	NULL
IBS_INT_NACS_EXTRACT		INSERTED_DT		No	No	CHAR(8)	NULL

IBS_INT_NACS_EXTRACT		SENT_TO_RNACS_FLAG		No	No	CHAR(1)	NULL
IBS_INT_NACS_RESULT		APP_ID		Yes	No	CHAR(13)	NOT NULL
IBS_INT_NACS_RESULT		TRANSACTION_TYPE		Yes	No	CHAR(2)	NOT NULL
IBS_INT_NACS_RESULT		STATUS_CODE		Yes	No	CHAR(2)	NOT NULL
IBS_INT_NACS_RESULT		UPLOAD_RESULT		No	No	CHAR(1)	NULL
IBS_INT_NACS_RESULT		ANUMBER		No	No	CHAR(10)	NULL
IBS_INT_NACS_RESULT		FORM_NUMBER		No	No	CHAR(5)	NULL
IBS_INT_NACS_RESULT		ERROR_CODE		No	No	CHAR(2)	NULL
IBS_INT_NACS_RESULT		ERROR_REASON		No	No	VARCHAR2(120)	NULL
IBS_INT_NACS_RESULT		LAST_NAME		No	No	VARCHAR2(30)	NULL
IBS_INT_NACS_RESULT		FIRST_NAME		No	No	VARCHAR2(18)	NULL
IBS_INT_NACS_RESULT		DOB		No	No	CHAR(8)	NULL
IBS_INT_NACS_RESULT		CCO_CODE		No	No	CHAR(3)	NULL
IBS_INT_NACS_RESULT		PROCESSED_DATETIME		No	No	DATE	NULL
IBS_INT_NACS_RESULT		UPDATE_FLAG		No	No	CHAR(1)	NULL
IBS_JOB_LOG_DTL		JOB_LOG_ID		Yes	No	NUMBER(8)	NOT NULL
IBS_JOB_LOG_DTL		JOB_CODE		No	Yes	CHAR(4)	NOT NULL
IBS_JOB_LOG_DTL		JOB_DATETIME_START		No	No	DATE	NULL
IBS_JOB_LOG_DTL		JOB_DATETIME_END		No	No	DATE	NULL
IBS_JOB_LOG_DTL		COMPLETED_RECORDS		No	No	NUMBER(8)	NULL
IBS_JOB_LOG_DTL		ERR_RECORDS		No	No	NUMBER(8)	NULL
IBS_JOB_LOG_DTL		TOTAL_RECORDS		No	No	NUMBER(10)	NULL
IBS_JOB_LOG_DTL		COMMENTS		No	No	VARCHAR2(50)	NULL
IBS_JOB_LOG_DTL		APP_ID		No	No	CHAR(13)	NULL
IBS_JOB_LOG_DTL		USER_ID		No	No	CHAR(8)	NULL
IBS_JOB_LOG_MST		JOB_CODE		Yes	No	CHAR(4)	NOT NULL
IBS_JOB_LOG_MST		TYPE_CODE		No	No	CHAR(4)	NULL
IBS_JOB_LOG_MST		JOB_NAME		No	No	VARCHAR2(30)	NULL
IBS_JOB_LOG_MST		JOB_DESC		No	No	VARCHAR2(120)	NULL
IBS_JOB_LOG_MST		JOB_FREQUENCY		No	No	CHAR(8)	NULL
IBS_JOB_LOG_MST		DATETIME_CREATED		No	No	DATE	NULL
IBS_LK_ACT_BUTTON		ACT_CODE		Yes	No	VARCHAR2(20)	NOT NULL
IBS_LK_ACT_BUTTON		BUTTON		Yes	No	VARCHAR2(25)	NOT NULL
IBS_LK_ACT_BUTTON		OVERSEAS_MILITARY_ENABLED		No	No	CHAR(1)	NULL
IBS_LK_ACT_END_COND		ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	Yes	Yes	VARCHAR2(20)	NOT NULL
IBS_LK_ACT_END_COND		END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing one activity	Yes	Yes	VARCHAR2(16)	NOT NULL
IBS_LK_ACTIVITY		ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	Yes	No	VARCHAR2(20)	NOT NULL
IBS_LK_ACTIVITY		ACT_DESC	the description of the activity code	No	No	VARCHAR2(80)	NULL
IBS_LK_ACTIVITY		ROLE_CODE	the code that denotes the proper function or responsibility of a user	No	Yes	VARCHAR2(12)	NULL
IBS_LK_ACTIVITY		INDEPENDENT_FLAG	Yes (Y) No (N) flag that indicates whether the activity is independent, not affect by any other activities	No	No	VARCHAR2(1)	NULL
IBS_LK_ADNMENU		MENU_CODE	the code that groups menu subject matter by category	Yes	No	VARCHAR2(3)	NOT NULL
IBS_LK_ADNMENU		DISPLAY_SEQ_NBR	the default display order of the item (if no specific column exists for the current form number)	Yes	No	NUMBER(5)	NOT NULL
IBS_LK_ADNMENU		MENU_DESC	the description of the menu category that corresponds to the menu code	No	No	VARCHAR2(50)	NULL
IBS_LK_ADNMENU		MENU_ITEM_ID	the identification of the menu item	No	No	VARCHAR2(5)	NULL
IBS_LK_ADNMENU		ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	No	Yes	VARCHAR2(20)	NULL
IBS_LK_ADNMENU		END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing one activity	No	Yes	VARCHAR2(16)	NULL

IBS_LK_ADNMENU		APW_DATA	this Action Proc Word data is used for different purposes depending on the action proc word,	No	No	VARCHAR2(20)	NULL
IBS_LK_ADNMENU		ACTION_PROC_WORD	the code that denotes the action that will be performed on the case subsequent to the menu selection	No	No	NUMBER(10)	NULL
IBS_LK_ADNMENU		NEXT_MENU_CODE	the code that transfers menu control to the next menu preference	No	No	VARCHAR2(3)	NULL
IBS_LK_ADNMENU		N400_DISPLAY_SEQ_NBR	the display order of the item for N400	No	No	NUMBER(5)	NULL
IBS_LK_ADNMENU		N600_DISPLAY_SEQ_NBR	the display order of the item for N600	No	No	NUMBER(5)	NULL
IBS_LK_ADNMENU		N643_DISPLAY_SEQ_NBR	the display order of the item for N643	No	No	NUMBER(5)	NULL
IBS_LK_ADNMENU		N565_DISPLAY_SEQ_NBR	the display order of the item for N565	No	No	NUMBER(5)	NULL
IBS_LK_ADNMENU		N470_DISPLAY_SEQ_NBR	the display order of the item for N470	No	No	NUMBER(5)	NULL
IBS_LK_ADNMENU		NOTICE_TYPE_CODE	the code that denotes the type of notice to be printed in batch; i.e., receipt of application, or notification for performance of the INS service (i.e., REC - Receipt, DEN - Denial)	No	Yes	VARCHAR2(3)	NULL
IBS_LK_APP_ELIG		FORM_NBR	the number that denotes the Immigration and Naturalization Service's form; i.e., I765, I551...	Yes	No	VARCHAR2(6)	NOT NULL
IBS_LK_APP_ELIG		SECT_OF_LAW_CODE	the code that denotes the section-of-law that authorizes the INS benefit; i.e., EAD's processing authorization, 8 CFR 274a.13 (classes of aliens authorized to accept employment) in the United States	Yes	No	VARCHAR2(20)	NOT NULL
IBS_LK_APP_ELIG		EAD_ELIGIBILITY_CODE	the immigration-class code that denotes the employment-eligibility category into which the individual has been classified; i.e., A03 (refugee), A04 (parolee ...	No	No	VARCHAR2(4)	NULL
IBS_LK_APP_ELIG		FEE_WORD	the 32-bit word used to denote the application-filing fee charged for the eligibility-admission's category into which the individual has been classified	No	No	NUMBER(10)	NULL
IBS_LK_APP_ELIG		CO_PARA_NBR	the paragraph-identification number assigned by INS's central office that associates the laser-printed notice to the previously submitted application	No	No	NUMBER(10)	NULL
IBS_LK_APP_ELIG		EMP_CONDITIONS	employment speciality in which INS permits employment	No	No	VARCHAR2(40)	NULL
IBS_LK_APP_ELIG		DEFLT_EMP_MONTH_QTY	the standard (default) amount of allowable-employment months	No	No	NUMBER(5)	NULL
IBS_LK_APP_SYSTEM		APP_SYS_ID		Yes	No	VARCHAR2(10)	NOT NULL
IBS_LK_APP_SYSTEM		SYS_TITLE		No	No	VARCHAR2(80)	NULL
IBS_LK_BKGDCHK_STATE		BKGDCHK_TYPE_CODE	the code that denotes the type of background check: example: F = FBI, C = CIS, A = AFile; M = military check,N= FBI Name/DOB check,V= CI SB1 Visa Check	Yes	No	VARCHAR2(1)	NOT NULL
IBS_LK_BKGDCHK_STATE		BKGDCHK_STATE_CODE	the code that denotes the status of the background check; i.e., R = requested, W = waived Y = requested evidence received ...	Yes	No	VARCHAR2(1)	NOT NULL
IBS_LK_BKGDCHK_STATE		BKGDCHK_STATE_DESC	the description of the background state that is represented by the bkgdchk-type code	No	No	VARCHAR2(50)	NULL
IBS_LK_BUSINESS_RULE		RULE_ID		Yes	No	NUMBER(10)	NOT NULL
IBS_LK_BUSINESS_RULE		RULE_SEQ_NO		No	No	NUMBER(10)	NOT NULL
IBS_LK_BUSINESS_RULE		RULE_NAME		No	No	VARCHAR2(50)	NOT NULL
IBS_LK_BUSINESS_RULE		START_DATE		No	No	DATE	NULL
IBS_LK_BUSINESS_RULE		END_DATE		No	No	DATE	NULL
IBS_LK_BUSINESS_RULE		CREATE_DATE		No	No	DATE	NULL
IBS_LK_BUSINESS_RULE		MODIFY_DATE		No	No	DATE	NULL
IBS_LK_BUSINESS_RULE		CREATED_BY		No	No	VARCHAR2(30)	NOT NULL
IBS_LK_BUSINESS_RULE		MODIFIED_BY		No	No	VARCHAR2(30)	NULL
IBS_LK_BUSINESS_RULE		RULE_DESCRIPTION		No	No	VARCHAR2(1000)	NULL
IBS_LK_C4_CCO		SERVICE_CENTER		No	No	VARCHAR2(3)	NULL
IBS_LK_C4_CCO		DISTRICT_NBR		No	No	VARCHAR2(3)	NULL
IBS_LK_C4_CCO		STATE_CODE		No	No	VARCHAR2(2)	NULL
IBS_LK_C4_CCO		COUNTY_NAME		No	No	VARCHAR2(25)	NULL

IBS_LK_C4_CCO		INS_ADMIN_LOC_CODE		No	No	VARCHAR2(3)	NULL
IBS_LK_CBO_ORG		CBO_LOC_CODE		Yes	No	VARCHAR2(3)	NOT NULL
IBS_LK_CBO_ORG		CBO_CODE		Yes	No	VARCHAR2(5)	NOT NULL
IBS_LK_CBO_ORG		CBO_ORG_DESC		No	No	VARCHAR2(50)	NULL
IBS_LK_CBO_ORG		BLDG_RM		No	No	VARCHAR2(34)	NULL
IBS_LK_CBO_ORG		STREET_NBR		No	No	VARCHAR2(10)	NULL
IBS_LK_CBO_ORG		STREET_NAME		No	No	VARCHAR2(34)	NULL
IBS_LK_CBO_ORG		CITY		No	No	VARCHAR2(28)	NULL
IBS_LK_CBO_ORG		STATE_CODE		No	No	VARCHAR2(2)	NULL
IBS_LK_CBO_ORG		ZIP_CODE		No	No	VARCHAR2(10)	NULL
IBS_LK_CERT_STATUS		CERT_STATUS_CODE	the code that denotes the status of the certificate	Yes	No	VARCHAR2(10)	NOT NULL
IBS_LK_CERT_STATUS		CERT_STATUS_DESC	the description of the certificate status code	No	No	VARCHAR2(40)	NULL
IBS_LK_CODE_TRANSLATION		CODE_TYPE		Yes	No	VARCHAR2(1)	NOT NULL
IBS_LK_CODE_TRANSLATION		FOREIGN_CODE		Yes	No	VARCHAR2(10)	NOT NULL
IBS_LK_CODE_TRANSLATION		C4_CODE		No	No	VARCHAR2(10)	NULL
IBS_LK_COLOR_CODE		COLOR_CODE	the code for a color name	Yes	No	VARCHAR2(10)	NOT NULL
IBS_LK_COLOR_CODE		COLOR_DESC	the description of the color codes (for above)	No	No	VARCHAR2(25)	NULL
IBS_LK_CPRS_ACT_END_CO ND		PROCESS_CODE	Process Code, the type of process allowed for each application (e.g. APP, PAY, N400)	Yes	Yes	VARCHAR2(10)	NOT NULL
IBS_LK_CPRS_ACT_END_CO ND		ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	Yes	Yes	VARCHAR2(20)	NOT NULL
IBS_LK_CPRS_ACT_END_CO ND		END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing one activity	Yes	Yes	VARCHAR2(16)	NOT NULL
IBS_LK_CPRS_ACT_END_CO ND		ACTION_CODE		Yes	Yes	VARCHAR2(5)	NOT NULL
IBS_LK_CPRS_ACTION_CODE		ACTION_CODE		Yes	No	VARCHAR2(5)	NOT NULL
IBS_LK_CPRS_ACTION_CODE		ACTION_CODE_DESC		No	No	VARCHAR2(80)	NULL
IBS_LK_DOC_TYPE		DOC_TYPE_CODE	the code that denotes the specific document; i.e., RE for United States reentry permit, RA for refugee travel document, and NC for naturalization certificate ...	Yes	No	VARCHAR2(10)	NOT NULL
IBS_LK_DOC_TYPE		DOC_TYPE_DESC	the text that describes the document that is represented by the document-type code	No	No	VARCHAR2(100)	NULL
IBS_LK_EC_ACT_TRANSIT		PROCESS_CODE	Process Code, the type of process allowed for each application (e.g. APP, PAY, N400)	Yes	Yes	VARCHAR2(10)	NOT NULL
IBS_LK_EC_ACT_TRANSIT		COMP_ACT_CODE	Completed Activity Code	Yes	Yes	VARCHAR2(20)	NOT NULL
IBS_LK_EC_ACT_TRANSIT		END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing one activity	Yes	Yes	VARCHAR2(16)	NOT NULL
IBS_LK_EC_ACT_TRANSIT		NEXT_ACT_CODE	the next activity that is needed to be created based on the completed activity and end condition code	Yes	No	VARCHAR2(20)	NOT NULL
IBS_LK_EC_ACT_TRANSIT		NEXT_ACT_STATE	the condition defining the status of the next activity at a particular point in time (e.g. Inactive, Active, Suspended, Completed, Canceled, Error)	No	No	VARCHAR2(10)	NULL
IBS_LK_END_COND		END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a workflow engine to decide what other activities will be created/started after completing one activity	Yes	No	VARCHAR2(16)	NOT NULL
IBS_LK_END_COND		END_COND_DESC	the description of the end condition code (END_COND_CODE)	No	No	VARCHAR2(80)	NULL

IBS_LK_ENGL_READ_SAMPLE		ENGL_READ_SAMPLE_NBR	the number of the reading sample for testing the English readig proficiency	Yes	No	NUMBER(5)	NOT NULL
IBS_LK_ENGL_READ_SAMPLE		ENGL_READ_SAMPLE_DESC	the text of the reading sample for testing the English readig proficiency	No	No	VARCHAR2(255)	NULL
IBS_LK_ENGL_WRITE_SAMPLE		ENGL_WRITE_SAMPLE_NBR	the number of the writing sample for testing the English writing proficiency	Yes	No	NUMBER(5)	NOT NULL
IBS_LK_ENGL_WRITE_SAMPLE		ENGL_WRITE_SAMPLE_DESC	the text of the writing sample for testing the English writing proficiency	No	No	VARCHAR2(255)	NULL
IBS_LK_ERROR_SEVERITY		ERR_SEVERITY_CODE		Yes	No	CHAR(1)	NOT NULL
IBS_LK_ERROR_SEVERITY		ERR_SEVERITY_DESC		No	No	VARCHAR2(30)	NULL
IBS_LK_ERROR_SUBTYPE	contains error subtype codes and descriptions	ERR_TYPE_CODE		Yes	Yes	CHAR(4)	NOT NULL
IBS_LK_ERROR_SUBTYPE	contains error subtype codes and descriptions	ERR_SUBTYPE_CODE		Yes	No	CHAR(4)	NOT NULL
IBS_LK_ERROR_SUBTYPE	contains error subtype codes and descriptions	ERR_SUBTYPE_DESC		No	No	VARCHAR2(50)	NULL
IBS_LK_ERROR_TEXT	contains error text descriptions	ERR_TEXT_ID		Yes	No	NUMBER(8)	NOT NULL
IBS_LK_ERROR_TEXT	contains error text descriptions	ERR_TYPE_CODE		No	Yes	CHAR(4)	NOT NULL
IBS_LK_ERROR_TEXT	contains error text descriptions	ERR_SUBTYPE_CODE		No	Yes	CHAR(4)	NOT NULL
IBS_LK_ERROR_TEXT	contains error text descriptions	ERR_SEVERITY_CODE		No	Yes	CHAR(1)	NOT NULL
IBS_LK_ERROR_TEXT	contains error text descriptions	ERR_TEXT		No	No	VARCHAR2(255)	NULL
IBS_LK_ERROR_TEXT	contains error text descriptions	ERR_SOURCE		No	No	VARCHAR2(120)	NULL
IBS_LK_ERROR_TYPE	contains error codes and descriptions	ERR_TYPE_CODE		Yes	No	CHAR(4)	NOT NULL
IBS_LK_ERROR_TYPE	contains error codes and descriptions	ERR_TYPE_DESC		No	No	VARCHAR2(30)	NULL
IBS_LK_EVIDENCE		EVID_CODE	the code that denotes the specific evidence recognized by INS	Yes	No	NUMBER(5)	NOT NULL
IBS_LK_EVIDENCE		EVID_DESC	the text that describes the item that is represented by the evidence-type code	No	No	VARCHAR2(50)	NULL
IBS_LK_EVIDENCE		EVID_NOTICE_TEXT	the certain section of standard text that is used to incorporate into different notices	No	No	VARCHAR2(2000)	NULL
IBS_LK_EYE_COLOR		EYE_COLOR_CODE	Eye color code identifier	Yes	No	CHAR(3)	NOT NULL
IBS_LK_EYE_COLOR		EYE_COLOR_CODE_DESC	Eye color code description	No	No	VARCHAR2(20)	NULL
IBS_LK_EYE_COLOR		ACTIVE_FLAG	Flag to determine whether the current record is active	No	No	CHAR(1)	NULL
IBS_LK_FORM		FORM_NBR	the number that denotes the Immigration and Naturalization Service's form; i.e., I765, I551...	Yes	No	VARCHAR2(6)	NOT NULL
IBS_LK_FORM		FORM_TITLE	the name of the form that corresponds to this record's form number	No	No	VARCHAR2(200)	NULL
IBS_LK_FORM		FORM_FLAG_WORD	the 32-bit word used to denote actions that may be taken on the application	No	No	NUMBER(10)	NULL
IBS_LK_FORM		FEE_AMT	the application-fee amount required for processing the form denoted by this record's form number	No	No	NUMBER(12,2)	NULL
IBS_LK_FORM		FAMILY_CAP_AMT	the maximun allowable-application fee established by INS for the family group	No	No	NUMBER(12,2)	NULL
IBS_LK_FORM		FEE_AMT_EFF_DT	the date that denotes implimentation of current fee amount	No	No	DATE	NULL
IBS_LK_FORM		GRACE_PERIOD_DT	the date that denotes the end of the grace period during fee changes	No	No	DATE	NULL
IBS_LK_FORM		OLD_FEE_AMT	the previous application-fee amount for the form denoted by this record's form number	No	No	NUMBER(12,2)	NULL
IBS_LK_FORM		G22_LINE_NBR	the line-number on the INS form that is associated with statistical and workload analysis data	No	No	VARCHAR2(4)	NULL
IBS_LK_FORM		SPECIAL_DIST_CODE	the code that denotes the recipient on the INS distributurion list, i.e., Social Security Administration (SSA) , Internal Revenue Service (IRS) ...	No	No	VARCHAR2(3)	NULL
IBS_LK_FORM		APPROPRIATION_NBR	the appropriation number that is associated with the specific INS form	No	No	VARCHAR2(2)	NULL
IBS_LK_FORM		DEFAULT_CLASS	the default class-of-admission (COA) most frequently granted for approval of the related form	No	No	VARCHAR2(3)	NULL
IBS_LK_FORM		PRODUCTION_LINE_NBR	the production-report line number that identifies the INS form by category and the action performed	No	No	VARCHAR2(7)	NULL

IBS_LK_FORM_DETAIL	Contains details about specific versions of a particular form	FORM_DETAIL_ID	Form detail record identifier - system generated	Yes	No	NUMBER(5)	NOT NULL
IBS_LK_FORM_DETAIL	Contains details about specific versions of a particular form	FORM_NBR	the number that denotes the Immigration and Naturalization Service's form	No	Yes	VARCHAR2(6)	NULL
IBS_LK_FORM_DETAIL	Contains details about specific versions of a particular form	FORM_VERSION	Specific version of the form	No	No	CHAR(1)	NULL
IBS_LK_FORM_DETAIL	Contains details about specific versions of a particular form	FORM_USE_BEGIN_DATE	Date the form version become effective	No	No	DATE	NULL
IBS_LK_FORM_DETAIL	Contains details about specific versions of a particular form	FORM_USE_END_DATE	Date the form version expired	No	No	DATE	NULL
IBS_LK_GRP_RULE		GRP_RULE_ID		Yes	No	VARCHAR2(6)	NOT NULL
IBS_LK_GRP_RULE		GRP_RULE_DESC		No	No	VARCHAR2(255)	NULL
IBS_LK_GRP_RULE		GRP_RULE_TYPE		No	No	VARCHAR2(10)	NULL
IBS_LK_GRP_TYPE		GRP_TYPE_CODE		Yes	No	VARCHAR2(6)	NOT NULL
IBS_LK_GRP_TYPE		GRP_TYPE_DESC		No	No	VARCHAR2(255)	NULL
IBS_LK_GRP_TYPE		DEFLT_GRP_RULE_ID		No	No	VARCHAR2(6)	NULL
IBS_LK_HAIR_COLOR		HAIR_COLOR_CODE	Hair color code identifier	Yes	No	CHAR(3)	NOT NULL
IBS_LK_HAIR_COLOR		HAIR_COLOR_CODE_DESC	Hair color code description	No	No	VARCHAR2(20)	NULL
IBS_LK_HAIR_COLOR		ACTIVE_FLAG	Flag to determine whether the current record is active	No	No	CHAR(1)	NULL
IBS_LK_HELP_URL		ID		Yes	No	NUMBER(10)	NOT NULL
IBS_LK_HELP_URL		NAME		No	No	VARCHAR2(20)	NOT NULL
IBS_LK_HELP_URL		URL		No	No	VARCHAR2(200)	NOT NULL
IBS_LK_INN		APPROPRIATION_NBR	the appropriation number that is associated with the specific INS form	Yes	No	VARCHAR2(2)	NOT NULL
IBS_LK_INN		ACCT_NBR	the INS bank account number associated with the appropriation number, i.e., 12X34567	No	No	VARCHAR2(8)	NULL
IBS_LK_INN		APPROPRIATION_DESC	the text that describes the appropriation that is represented by this record's appropriation number	No	No	VARCHAR2(12)	NULL
IBS_LK_INT_ACT_LOC_TYPE		PROCESS_CODE	Process Code, the type of process allowed for each application (e.g. APP, PAY, N400)	Yes	Yes	VARCHAR2(10)	NOT NULL
IBS_LK_INT_ACT_LOC_TYPE		ACT_CODE	the activity code that denotes the action to be performed, or that was performed on the case (e.g. DeEnter - Data Entry)	Yes	Yes	VARCHAR2(20)	NOT NULL
IBS_LK_INT_ACT_LOC_TYPE		LOC_TYPE_CODE	the code that denotes the location type: i.e., District Office (DO); Sub Office (SO); and Satellite Office (SAT)	Yes	Yes	VARCHAR2(3)	NOT NULL
IBS_LK_INT_ERROR_CODE		APP_SYS_ID		Yes	Yes	VARCHAR2(10)	NOT NULL
IBS_LK_INT_ERROR_CODE		ERROR_CODE		Yes	No	VARCHAR2(2)	NOT NULL
IBS_LK_INT_ERROR_CODE		ERROR_CODE_DESC		No	No	VARCHAR2(255)	NOT NULL
IBS_LK_INT_ERROR_FIELD		APP_SYS_ID		Yes	Yes	VARCHAR2(10)	NOT NULL
IBS_LK_INT_ERROR_FIELD		ERROR_FIELD		Yes	No	VARCHAR2(2)	NOT NULL
IBS_LK_INT_ERROR_FIELD		ERROR_FIELD_DESC		No	No	VARCHAR2(255)	NOT NULL
IBS_LK_LOC_TYPE		LOC_TYPE_CODE	the code that denotes the location type: i.e., District Office (DO); Sub Office (SO); and Satellite Office (SAT)	Yes	No	VARCHAR2(3)	NOT NULL
IBS_LK_LOC_TYPE		LOC_TYPE_DESC	the text that describes the location denoted by the the location-type code	No	No	VARCHAR2(60)	NULL
IBS_LK_LOCATION_RULE		LOC_RULE_CODE	the code that denotes the rule which is used for redirecting to temporary location where the INS service will be conducted	Yes	No	VARCHAR2(4)	NOT NULL
IBS_LK_LOCATION_RULE		LOC_RULE_DESC	the text that describes this record's temporary-redirection-rule code	No	No	VARCHAR2(100)	NULL
IBS_LK_LOCATION_RULE		REC_MOD_DTIME	the date and time this record was modified	No	No	DATE	NULL
IBS_LK_MERGE_CREATE		PROCESS_CODE	Process Code, the type of process allowed for each application (e.g. APP, PAY, N400)	Yes	Yes	VARCHAR2(10)	NOT NULL
IBS_LK_MERGE_CREATE		COMP_ACT_CODE	Completed Activity Code	Yes	Yes	VARCHAR2(20)	NOT NULL
IBS_LK_MERGE_CREATE		END_COND_CODE	the end condition code that denotes a logical expression which is evaluated by a worklow engine to decide what other activities will be created/started after completing one activity	Yes	Yes	VARCHAR2(15)	NOT NULL
IBS_LK_MERGE_CREATE		MERGE_ACT_CODE	Activity code that is waiting on concurrent activities to be completed	Yes	Yes	VARCHAR2(20)	NOT NULL